# QF-J101[illegible]UV[illegible]

## [illegible]

TPU[illegible] [illegible]PC[illegible]UV[illegible] [illegible] [illegible]

## [illegible]

| [illegible] | |
|---|---|
| [illegible] | [illegible] [illegible] |
| [illegible] | [illegible] |
| [illegible] | QF-J101 |
| [illegible] [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | PC[illegible]+ TPEE [illegible] |
| [illegible] | [illegible] [illegible] |
| [illegible] | 100[illegible]UV[illegible] [illegible] |
| [illegible] [illegible] | |
| [illegible] [illegible] | [illegible] [illegible] |
| [illegible] [illegible] | 0-15[illegible] [illegible] |
| [illegible] [illegible] | 3[illegible] |
| [illegible] [illegible] | PAYPAL[illegible]T / T |

## [illegible]

□□□

## FOUR ADVANTAGES

**1 Anti impact international standard**
ANSI Z78.1,STD-622F,CE EN166

**2 Human engineering design**
TPU soft spectacles frame
VS soft silicone and soft rubber pad
Unpoisonous and antianaphylaxis

**3 2.8mm thickness polycarbonate lenses glasses**

**4 Fashion external&Exquisite workmanship**