□□□ astm □□□□□□□□□□ au-e06

□□□□□□□ astm □□□□□□□□□□□□

□□□	□□□□□□□
□□□□	au-e06
□□	abs □□□ + eps □□□□ + □□□□□□□□□□
□□	xxs-s (51-55 □□□□□□□);s-m (55-57cm);m-l (57-59cm);l-xl (59-61cm) □□□□□□□□□□□□□□□□□ & □□□□□
□□□□□□	metallic □□□□□□□□□□□
□□□□□□□□□□□□□	70.5 * 31.5 * 55.5 □□□□□□□
□□	□□□□ + □□□□□□□
fearture	□□□□□□/□□□□□□/vg1 □□□/□□□□□□□□
e06 □□□□□□□□□□□	□□□□□ & □□□□□□□□□□□□□ □□□□□□□□18□□□□□□□□□□ □□□□□□□□□□□□ □□ abs □□□ + eva □□□□ + □□□□□□□□ ce vg1 □□□ □□□□□□□□□□□□□ □□□□□□□□□ □□□ abs □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□ □□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□ e06 □□□□□□□□□□ & □□□□□□□□□□□□□□□□!□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□!□□□□□□ vg1 □□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□ & □□□□□□□□2□□□□□□□□□!□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ fadeproof □□□□□□□□□□ □!□□□□□□□□□□□□□□□□□ & □□□

□□□□□□□□□□□□□□□□□□□□□□□□
e06 □□□ &
□□□□□□□□□□□□□□ & □□□□□□□□□□!□□ helmetE06 □□□□□□□□□□□□□□□□4□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□, □□□□
□□□.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□.□□□□□□□□□□2017□□□□□□□
□□□□□□□□□□□□□□

HIGH EFFECTIVE AIR FLOW

□□□□□□□□□□□□□□□

Packagaing □□

□□□□□□□□□□: 9 □/□□□□
□□□□□□□□□: □□□□□□□□□:67 * 31.5 * 52.5 cm
□□□: 4.50 □□
□□□□□□□□□: 1 □/□□ wth □□□□□□□□□□□□□□□□□□□□ 9 pc

□□□□□□ □□□□□□□□□:

□□□□□□□ Headform:

□□ □□□□□□□□□□□

□□□□□ headform:

□□□□□ headform □□

□□□□□ headform:

□□□□□□□□□□□□condierably □□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□

[illegible]:

[illegible]![illegible]
EN1078[illegible]en397[illegible]EN12492[illegible]EN1384[illegible]vg1 cpsc [illegible]
[illegible] & [illegible]!

[illegible]:

[illegible]: [illegible]iso 9001[illegible]ce [illegible]

CERTIFICATE / AUTHENTICATION

□□□□□□□□□□□□□□□□□□□□:

□□□□□□□□□ → pc □□□□□□□□□□□ → pc □□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□ eps □□ → eps □□□□□□□□□□□□ → □□□□□□□□ □□□□□□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□ → iqc □□ → □□□□□□□□ → □□□□□□□□□□ □ → □□□□□□□□□□□□□□□□□ → □□□□□ →□□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

----□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□

oem □□ odm: □□□□□□□□□□ oem □□□ odm □□□□□□□□□□□□□□

r&d □□□: □□□□□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□

□□□□: □□□□□□□□□□□□□□□□□□□□□□

WHY US
AURORA
QUALITY
With strict quality management system and first-class products
OEM&ODM
OEM
ODM
We can provide OEM and ODM service for customers
R&D TEAM
R&D
With professional and strong technical development team
PRICE
$
We have our own production line, to reduce the price to a minimum
PATENT
We constantly introduce patented technology products
SERVICE
Perfect after-sales service, so customer satisfaction

[illegible]24[illegible]
[illegible]3d [illegible]


Turn your idea into a custom concrete product!
R&D Capability
DRIVEN INNOVATION
202

□□□□□□□□□:

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□!□□□□□□□□□□□□□□□□□□□□□□□□□□ & □□□□□□□□□□□□□□□□□□□□□□□□!□□ □□!□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□!

□□□□□□□□□□

----□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□□□□

oem □□ odm: □□□□□□□□□ oem □□□ odm □□□□□□□□□□□□□

r&d □□□: □□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□

□□□□: □□□□□□□□□□□□□□□□□□□□