□□□ astm □□□□□□□□□ au-e06

[□□□□□□□ astm □□□□□□□□□□□□]

□□□	□□□□□□□
□□□□	au-e06
□□	abs □□□ + eps □□□□ + □□□□□□□□□□□
□□	xxs-s (51-55 □□□□□□□);s-m (55-57cm);m-l (57-59cm);l-xl (59-61cm) □□□□□□□□□□□□□□□□□ & □□□□□
□□□□□□	metallic □□□□□□□□□□□□
□□□□□□□□□□□□□	70.5 * 31.5 * 55.5 □□□□□□□
□□	□□□□ + □□□□□□□
fearture	□□□□□□/□□□□□□/vg1 □□□/□□□□□□□□
e06 □□□□□□□□□□□	□□□□□ & □□□□□□□□□□□□□ □□□□□□□□18□□□□□□□□□□ □□□□□□□□□□□□ □□ abs □□□ + eva □□□□ + □□□□□□□□ ce vg1 □□□ □□□□□□□□□□□□□□ □□□□□□□□□ □□□ abs □□

[□□□□□ □□□□□□□□□□□□]

□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□ e06 □□□□□□□□□□□□ & □□□□□□□□□□□□□□□□□□!□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□!□□□□□□ vg1 □□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□
□□□□□ & □□□□□□□□□2□□□□□□□□□□!□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ fadeproof □□□□□□□□□□□□ □!□□□□□□□□□□□□□□□□□□□ & □□

[illegible]

e06 [illegible] & [illegible] & [illegible]![illegible] helmetE06 [illegible]4[illegible], [illegible].[illegible], [illegible].[illegible]2017[illegible]

HIGH EFFECTIVE AIR FLOW

Packagaing □□

□□□□□□□□□□: 9 □/□□□□
□□□□□□□□: □□□□□□□□:67 * 31.5 * 52.5 cm
□□□: 4.50 □□
□□□□□□□□: 1 □/□□ wth □□□□□□□□□□□□□□□□□□□□□ 9 pc

□□□□□ □□□□□□□:

□□□□□□ Headform:

□□□ □□□□□□□□□□□□

□□□□□ headform:

□□□□□ headform □□

□□□□□ headform:

□□□□□□□□□□□□□condierably □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□

□□□□□□□□□:

□□!□□□□□□□□□□□□□□□□□□□□□ EN1078□en397□EN12492□EN1384□vg1 cpsc □□ & □□□□□□□□□□□□□□□□□□□□□□□□□□□□!

□□:

□□□□□□□□□□□□□□□: □□□□□iso 9001□□□□□□□ce □□

CERTIFICATE / AUTHENTICATION

[illegible]:

[illegible] → pc [illegible] → pc [illegible] → [illegible] → [illegible] eps [illegible] → eps [illegible] → [illegible] [illegible] → [illegible] → [illegible] → [illegible] → [illegible] → iqc [illegible] → [illegible] → [illegible] [illegible] → [illegible] → [illegible] →[illegible] → [illegible] → [illegible] → [illegible]

[illegible]

----[illegible]

[illegible]: [illegible]

oem [illegible] odm: [illegible] oem [illegible] odm [illegible]

r&d [illegible]: [illegible]

[illegible]: [illegible]

[illegible]: [illegible]

[illegible]: [illegible]

WHY US
AURORA
QUALITY
With strict quality management system and first-class products
OEM&ODM
OEM
ODM
We can provide OEM and ODM service for customers
R&D TEAM
R&D
With professional and strong technical development team
PRICE
$
We have our own production line, to reduce the price to a minimum
PATENT
We constantly introduce patented technology products
SERVICE
Perfect after-sales service, so customer satisfaction

□□□24□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□3d □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□


Turn your idea into a custom concrete product!
R&D Capability
DRIVEN INNOVATION
202

[illegible]:

[illegible]![illegible] & [illegible]![illegible]![illegible]![illegible]!

SHIPPING

□□□□□□□□□□

----□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□

oem □□ odm: □□□□□□□□□□ oem □□□ odm □□□□□□□□□□□□□

r&d □□□: □□□□□□□□□□□□□□□□□□□□□□□

□□: □□

□□: □□□□□□□□□□□□□□□□

□□□□: □□□□□□□□□□□□□□□□□□□□□□