

astm au-e06

astm

code	au-e06
description	abs + eps + metallic
size	xxs-s (51-55 cm);s-m (55-57cm);m-l (57-59cm);l-xl (59-61cm)
material	metallic
dimensions	70.5 * 31.5 * 55.5 cm
weight	kg + g
feature	ce/vg1
e06	<p>abs & eps 18</p> <p>abs + eva + metallic</p> <p>ce vg1</p> <p>abs</p>

HIGH EFFECTIVE AIR FLOW



□□□□□□□□□□□□□□□□



Packaging

Quantity: 9 pcs

Dimensions: 67 * 31.5 * 52.5 cm

Weight: 4.50 kg

Quantity: 1 pc with accessories 9 pc

Headform:

Headform:

Headform:

Headform:

Headform:

Headform:

Headform:



CERTIFICATE / AUTHENTICATION



XXXXXXXXXXXXXXXXXXXXXXXXXXXX:

XXXXXXXXXX → pc XXXXXXXXXXXXX → pc XXXXXXXXXXXX → XXXXXXXXXXXX → XXXXXXXXXXXX eps XX → eps XXXXXXXXXXXXXXXX → XXXXXXXXXXXX
 XXXXXXXXXXXXXXXX → XXXXXXXXXXXX → XXXXXXXXXXXXXXXX → XXXXXXXXXXXXXXXX → XXXXXXXXXXXX → iqc XX → XXXXXXXXXXXX → XXXXXXXXXXXX
 X → XXXXXXXXXXXXXXXXXXXXXXXX → XXXXXXX → XXXXXXXXXXXX → XX → XX → XXXXXXXXXXXXXXXXXXXXXXXX



XXXXXXXXXXXX

----XXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

oem XX odm: XXXXXXXXXXXXX oem XXX odm XXXXXXXXXXXXXXX

r&d XXX: XXXXXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXX

XXXX: XXXXXXXXXXXXXXXXXXXXXXX



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

24
3d

SHIPPING



□□□□□□□□

---□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□

oem □□ odm: □□□□□□□□ oem □□□ odm □□□□□□□□□□

r&d □□□: □□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□

□□□□: □□□□□□□□□□□□□□□□