













NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

						STRAP BUCKLE
-114	-36	-107	-07	-106	-01	
-113	-104	-117	-115	-116	-00	
-112	-111	-109				

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	

## Packaging

Quantity: 12 Pcs/Box

Dimensions: 73X58X35 cm

Weight: 6.50 kg

Contents: 1 Pcs/pp bag with color box, 12 pcs

## Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg

Package Type: 1PCS/PP bag with color box, 12 PCS PER BROWN CARTON



Headform testing capabilities:

Headform: Headform

Headform testing capabilities for various standards and applications.

Headform: Headform

Headform testing capabilities for various standards and applications.

Headform: Headform

Headform testing capabilities for various standards and applications.



Headform testing capabilities:

Headform testing capabilities for various standards and applications. EN1078, EN397, EN12492, CPSC. Headform testing capabilities for various standards and applications.

Our In-house Testing Lab



Headform testing capabilities:

Headform testing capabilities for various standards and applications. ISO 9001, CE. Headform testing capabilities for various standards and applications.



# CERTIFICATE / AUTHENTICATION



XXXXXXXXXXXXXXXXXXXXXXXXXXXX:

XXXXXXXXXX → pc XXXXXXXXXXXXX → pc XXXXXXXX → XXXXXXXXXXXX → XXXXXXXXXXXX eps XX → eps XXXXXXXXXXXXXXXX → XXXXXXXX  
 XXXXXXXXXXXXXXXX → XXXXXXXXXXXX → XXXXXXXXXXXXXXXX → XXXXXXXXXXXXXXXX → XXXXXXXXXXXX → iqc XX → XXXXXXXX → XXXXXXXXXXXX  
 X → XXXXXXXXXXXXXXXXXXXXXXXX → XXXXXXX → XXXXXXXX → XX → XX → XXXXXXXXXXXXXXXXXXXXXXXX



XXXXXXXXXXXX

----XXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

oem XX odm: XXXXXXXXXXXX oem XXX odm XXXXXXXXXXXXXXXX

r&d XX: XXXXXXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXX

XXXX: XXXXXXXXXXXXXXXXXXXXXXXX



# SHIPPING

