□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□:

-□□□□□□□□□□□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□.
-□□□□□□□□□□□□□□□□□□ ABS □□□□□
●□□□□□□□□□□□□□□□□□□□□□ EPS □□□□□
□□□-□□□□□□: □□;□□□□□□□□□□;□□□□□□□□□□□□□□□;

□□:

□□□ □□□□□□	h07
□□	abs □□□ + □□□ eps, □□□□□□□ □□□□ □□
□□□□□	□□□□, □□□□□, pu □
□	17
□□□/□□□ □□□	□□□: 52, 53, 54, 55, 56, 57, 58, 59, 60, 61;
□□□□□	□□□□□□□□□□□□ □□□ □□□□□□□□□□ □□□□□□
□□	□□
□□□□ □□	3-7 □□ □
moq	500 pc
□□ □□	□□ □□□□□□: □□□□□□ □ □□□ □□□ □□□□□□ □□□□□
	□□ □□□□□□: 9 pc/□□□□□ □□□□ □□□: * 32 * 53.5 67.5 □□□□□□□□□

□□□□ □□□:

□□

INDIVIDUAL FIT HEAD FORM
A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.

□□□□□□□□□□□□□□□□hekmet □□□3 □□□□□

UNRIVALLED ADJUSTMENT FOR OPTIMUM COMFORT
Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.

□□ □□

FRIENDLY DESIGN
FOR WOMEN PONYTAIL
Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

ONE PIECE ANTIBACTERIAL
INNER PADDING
Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.

ODM

LUXURY BRANDING POSITION
Central flat space for logo labeling, it will never peel off even after a long time using. This tailor-made ODM helmet is the best product to promote with own brand.

ABS

UTILITY SUN PROTECTION
Novelty designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.

Packagaing □□

□□□□□□□□□□: 9 pc/□□□□
□□□□□□□: □□□□□□□□□:67 * * 31.5 52.5 CM
□□□: 4.80 □□
□□□□□□□□□□: 1pc/PP □ wth □□□□□□□□□□□□ 9 DC

□□□□□ r□□□□□□□□□□□□□:

□□□□□ headform:

□□ □□□□□□□□□□□

headform □□□:

□□□

□□□□ headform:

□□□ condierably □□□□□□□□□□□□□

□□□□□□□□□:

□□
□!EN1078□EN397□EN12492□EN1384□VG1 CPSC□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□!

□□:

□□□□□□□□□□□□□: ISO9001□□□□□□□□CE □□□

CERTIFICATE / AUTHENTICATION

□□□□□□□□□□□□□□□□□□□□□□□□□□:

□□□□□□□□□ → PC □□□□□□□□ → PC □□□□□□□□ → □□□□□□□□□□□□ → EPS □□□□□□□□□□□□□□ → □□□□□ EPS → □□□□□□□□□□ □□□□□□ → □□□ → □□□□ → □□□□□□□□ → □□□□□□□□□□□□□□□□□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□□ → □□□□□□□ □□□□□□□□ → □□□□□ →□□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□?

-□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□

oem □□□ odm: □□□□□□□□□□ oem □□□ odm □□□□□□□□□□□□□

□□□□□□□: □□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□

□□□□: □□□□□□□□□□□□□□□□□□□□

WHY US
AURORA
QUALITY
With strict quality management system and first-class products
OEM&ODM
OEM
ODM
We can provide OEM and ODM service for customers
R&D TEAM
R&D
With professional and strong technical development team
PRICE
$
We have our own production line, to reduce the price to a minimum
PATENT
We constantly introduce patented technology products
SERVICE
Perfect after-sales service, so customer satisfaction

□□□□24□□3d □□□□□□□□□□□□□□□□□□□□


Turn your idea into a custom concrete product!
R&D Capability
DRIVEN INNOVATION
202

□□:

□□□□□□□□□□□□□ & □□□□□□□□□□□□□□□□□□□□□!□□□!□□□□□□□□□ □□□!□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□!

SHIPPING