- DDDD: DDDDD (DD)
- 00000: 0000
- || AU K002
- □□: PC + EPS
- 0000: 000000000 00000000
- []: CE EN1078[CPSC[AS/NZS
- 00 0000
- 00: 270 g 000000 00000 0000 0000
- □□□: M:54-58 CM
- 00 Ventiltaion: 14 000000 0000 0000 0000 0000
- 000: 0000
- Oem MOQ: 300 [[[[[[[[

### 

Ultal 0000000 000000000 0000 0000 0000

2 00000

### 

000 0000 AU K002 00000 0000 0000 0000

 □□
 CE EN 1078

 □□
 55-61 cm

 □□
 14 □□

 □□
 270 □□□

☐ PATONE □□□□ custonized

□□□□□ 3-7 □□□ **MOO** 500 □

# 000000 00000 0000 0000 00000000 :

- 1) 00000 EPS 00000000 PC 000000000 0000000000 2) 0000000000

\_\_\_\_\_5).









## 0000000:





### European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

#### Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.


#### Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

OEM  $\square\square$  ODM  $\square$ 

### **Production Procedure**





### **FAQ**

### 1. OEM 000000000

#### 2. ODM \_\_\_\_\_\_

#### 3. 000000000000000?

#### 4. 0000 00000000?

#### 

- st

8. \_\_\_\_?

T/t. 000000000 0 00000