# □□□□

## *Watersports*□□□□□□□□□□

□□□□□□□□□ S / M□M / L

| | |
|---|---|
| □□□□□□ | AU-K010 Watersports□□□□□ |
| □□ | ABS + EVA□□ |
| □□ | CE EN 1385 |
| □ | □□□□□□□□□ |
| □□□ | S / M□M / L |
| □□ | 300□□□ |
| □□□ | □□ - □□ |

## □□□□□□□□□□□

□□□□□□□□□□

S/M

## *BMX*□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

## □□□□□□□□□

□□□□□□□□

## □□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□ISO9001□□□□□□CE□□□□□□□□□□□□□□□□□□□

## CERTIFICATE

## □□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□15□□□□□□□□□□□□□□□□□□□

## CUSTOMIZE FOR BRAND

## □□□□□□□□□□□□□□□□□□□□□

□□□□□□□□ → PC□□□□□□□□□□ → PC□□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□EPS → □□□□□□EPS□□□□□ → □□□□□ □□□□□□□□□□□□ → □□□□□□□□□ → □□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□□□ → IQC□□ → □□□□□□□ → □□□□□□ □□□□ → □□□□□□□□□□□□□□□ → □□□□□□□ →□□□□□□ → □□□□□ → □□ → □□□□□□□□□□□□□□□□□□□

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

## □□□□□

□□□□

## SHIPPING