[illegible]SV93

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]/[illegible]/[illegible]

[illegible]

EPS[illegible]

[illegible]

[illegible]

[illegible]

20[illegible]

[illegible]

[illegible]	AU-SV93
[illegible]	EPS[illegible]+ PC[illegible]
[illegible]	CE EN1078
[illegible]	21[illegible]
[illegible]	[illegible]
[illegible]/[illegible]	S / M[illegible]54-58CM[illegible]M / L[illegible]58-62CM[illegible]
[illegible]	270[illegible]
[illegible]	7[illegible]
MOQ	300PCS
[illegible]	PP[illegible]+[illegible]+ mastercarton

[illegible]

[illegible]

[illegible]4[illegible]

- [illegible]ITW[illegible]
- [illegible]
- [illegible]
[illegible]
- Fidlock[illegible]magetic[illegible]

[illegible]

- [illegible]
- [illegible]
- [illegible]

□□□□□□□□□□ 23□□R&□□□□□□□□□□; D□□□□□□□□□□□□□□□□&□□□□□□□□□□□A□□□&□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□Y□□□□□□LED□□highlights.We□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□&□038□□□□□□□□□□□□□□&□□



□□□□□□□□□□□□□□□□□□□□□□□□
EVA□□□
□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Inner Padding Fabric Options


EVA pads

Mesh pads


Nylon pads

Velvet pads

Cool max pads

Low quality pads

[illegible]15[illegible]Airlite[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] condierably [illegible]


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

[illegible]

[illegible]&[illegible]

[illegible]

[illegible]ISO9001[illegible]CE[illegible]

CERTIFICATE

[illegible]

[illegible]

- [illegible]

- OEM& ODM[illegible]OEM[illegible]ODM[illegible]

- R& D[illegible]

- [illegible]

- [illegible]

- [illegible]

WHY US
AURORA
QUALITY
With strict quality management system and first-class products
OEM&ODM
OEM
ODM
We can provide OEM and ODM service for customers
R&D TEAM
R&D
With professional and strong technical development team
PRICE
$
We have our own production line, to reduce the price to a minimum
PATENT
We constantly introduce patented technology products
SERVICE
Perfect after-sales service, so customer satisfaction

□□□□□

□□□□□□□□□□□□□□□&□038;□□&□□□&□□□

PAYMENT AND SHIPPING

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP

SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.