



□□□□□□ □□□□□□□□□□□□:

□□□ □□□□	AU C04 □□□ □□□□ □□□ □□□□□
□□	□□□□ EPS □□□□ & PC □□□
□□□□□□□	□□□□□□□ LED □□□
□□	CE EN1078
□□□	6 □□
□	□□□□□, □□□□□□□
□□□□/□□	S:(45-50CM)□M: (52-57)□L:(55-61)
□□	195 g
□□□□□□□	7 □□
MOQ	300pcs
□□□□□□□□	PP □ + □□ □□□□ □□□□□□ + mastercarton

□□□□□□□ □□□ □□□□□□□□□□□□:













## ☐☐ Packagaing

☐☐: 12 ☐☐☐☐/☐☐☐☐

☐☐☐☐☐☐☐: 73 X 58 X 35 cm

☐☐☐: 6.50 kg

☐☐☐☐☐: 1 ☐☐/PP wth ☐☐☐☐☐☐☐☐☐☐☐☐ 12 ☐☐







**bmw**

bmw

bmw

bmw









## CUSTOMIZE FOR BRAND



*Logo style: Dome, Metal, UV-Dart sticker, Water decal.*



□□□□□:

□□□□□□□□□□□□□□□□

□□□ □□□□□ → PC □□□□□ □□□□□ → PC □□□□□□□□□□ → □□□□□□□□□□□□ → □□□□□ EPS □□□□ → □□□□ EPS → □□□□□□ □□  
□□□ □□□ □□□□ → □□□□□ → -□□□□□ → □□□□□□□□ → □□□□□□□□□□□ □□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□ → □□□□□□  
□□□□□□□□□ □□□□ → □□□□□ → □□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□



# Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□□□□□

□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□

OEM & ODM: □□□□□□ OEM □□□ ODM □□□□□□□□□□□□□□

R & D □□□: □□□□□□□□□□ □□□□□□ □□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□

-□□□□□: □□□□□□□□ □□□□□, □□□□□□□□□



# SHIPPING

