

□□□□□□□□□□□□□□□□□□□□ **AU C04** □□□□□□□□□□



□□□□□□□□ □□□□□□□□□□:

□□□ □□□□	AU C04
□□	□□□□ EPS □□□□ & PC □□□□
□□□□□□□□	□□□□□□□□ LED □□□□
□□	CE EN1078
□□□□	6 □□
□	□□□□□, □□□□□□□□
□□□□/□□	S:(45-50CM)□M: (52-57)□L:(55-61)
□□	195 g

重量	7 磅
MOQ	300pcs
材料	PP + 黑色 EPS 泡沫 + mastercarton

主要规格:

1. 重量 205 g
2. PC 外壳
3. EPS 泡沫
4. 黑色 PA 衬垫 (可选)
5. 黑色带
6. 认证: CE EN1078

其他规格:











Packaging

Quantity: 12 units/case

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Quantity: 1 case/PP with 12 units



CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□□□□:

□□□□□□□□□□□□□□□□

□□□ □□□□□ → PC □□□□□ □□□□□ → PC □□□□□□□□ → □□□□□□□□□□□□ → □□□□□ EPS □□ → EPS □□□ → □□□□□□□□□□ □□□
 □ → □□□□□ → □□ → □□□□□□□□□□ → □□□□□□□□□□□ □□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□□□□
 □□□□□ → □□□□□□ → □□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□□□:

□□□□□□□□ □□□□□□□□□□□□: DHL□TNT□UPS□□□□□□□□□□EMS □□□□□□□□.□□□□□□□□□□□□

SHIPPING

