

- 内部にEPSフォームを充填

- 外部にPC（ポリカーボネート）を使用

- CE-EN1078規格に適合

仕様表


型番	AU-SV888
材質	EPS + PC + 内衬
規格	CE EN1078
重量	300g
特徴	通気性、軽量
サイズ	S / M 54-58CM / L 58-62CM
生産数	240個
ロット	7
MOQ	300PCS
梱包	PP + 内衬 + mastercarton

写真













Carbon Fiber Reinforced Polymer (CFRP) Composites

CFRP composites are used in various applications, including:

- ITW (Industrial Technology and Welding)
 - Aerospace
 - Automotive
- CFRP composites are used in various applications, including:
- Fidlock (Fidlock Magnetic)

CFRP composites are used in various applications, including:

- Aerospace
- Automotive
- Marine

Buckle Options



B001



ITW standard helmet buckle



Traditional helmet buckle



B002



Patent self-developed magnetic buckle



Fidlock magnetic buckle



B003



We can also customize various colors buckle.

23R& ; D&A ; LED ; highlights. We&038&

Carbon fiber helmet mold in vacuum forming



2. Autoclave □□□□□□□□□□

Autoclave Processing (Vacuum bagged)



□□□□□



UD Tow



12k Tow



3k Tow



1k Tow



Spread Tow



ISO9001 CE

CERTIFICATE



15 R&D



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction



038;

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

