

- 5. 材料 EPS 使用
- 6. 材料 PA 使用
- 7. 重量 約 100g
- 8. 規格: CE EN1078 符合

主要規格

項目	規格	備註
1. 材料	ABS	ABS 材料
2. 規格	AU C04	
3. 重量	EPS 195g + PC 100g	EPS 195g + ABS 100g
4. 尺寸	XS: (46-50cm); S/M(51-56cm); M/L(56-61cm)	XS: (46-50cm); S/M(51-56cm); M/L(56-61cm)
5. 重量	195 g	
6. 尺寸	XS: (46-50cm); S/M(51-56cm); M/L(56-61cm)	
7. 顏色	白色	白色
8. MOQ	1000 個	
9. 尺寸	65 cm * 57 * 46 cm	72 cm * 57 c * 59 cm
10. 包裝	1 個/ppb/個	10 個/箱
11. 貿易	FOB	
12. 認證	CE EN1078	
13. 認證	CE EN1078	
14. 認證	4-7 天	
15. 認證	約 20-30 天	
16. 認證	CE EN1078	
17. 認證	CE EN1078	
18. 認證	CE EN1078	
19. 認證	1. 認證 2. 認證 3. 認證 4. 認證 5. 認證 6. 認證	

其他規格











Personalized

Our team of experts & 24-hour customer support is always ready to assist you. R & D team is always working on new products to meet your needs. We are committed to providing you with the best quality products and services. Our products are made from high-quality materials and are designed to last. We are proud to be a part of your life.

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						


BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



FAQ

1. OEM

OEM 20% R & D 15-20

2. ODM

20% 15-20

00000000000000000000 000005 06 0000000000000000 0000000000000000

3. 0000000000000000?

000 00 000000000000000000000000 00000000 0000000000000000000000

4. 0000 00000000?

00 000000000000000000000000000000 0000000000 24 000000000000 (0000000000)000000
000000000000 0000000000

5. 00000000000000000000?

a. 00000000000000000000000000000000

000000000000000000000000000000 0000000000 000000000000

b 000 000000000000000000000000 0000000000 00000000000000000000000000 00000000

c. 0000 00000000000000000000000000

00 0000000000000000000000000000000000 VIP 0000000000000000

6 00000000000000000000

0000000 0000000000000000000000000000000000

7. 000000000000000000

A. 00000000DHL0UPS0TNT00000000EMS 00000000000000DHL 0000000 00 000000000000000000
0000000000000000000 0000000000000000000000000000000000 0000000000000000

* 00000000000000000000

8 00000000000000

T/t. 000000000000 0 000000