



Grey pantone 432 C



SAFETY HELMET



Helmet accessories available

Safety helmet with LED light.

AU-M02 white
Red
Yellow
Orange
Blue
Green
black

Led light headlamp led light



Safety helmet with ear protection and mesh faceshield

AU-M02 white
Red
Yellow
Orange
Blue
Green
black

earmuff good sound insulation
faceshield iron mesh



Safety helmet with plastic visor
The set is compatible with our special visor and earmuff.

AU-M02 white
Red
Yellow
Orange
Blue
Green
black

Visor plastic with eye protection
earmuff good sound insulation



Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking



品名	AU M02 安全ヘルメット
材質:	PP 樹脂
樹脂の種類:	ポリプロピレン (PP) PU 樹脂
樹脂の硬さ:	ABS 質 PP 質
重量	PE 樹脂
サイズ (頭囲)	51-62 cm
重量	375 g (標準重量)
耐衝撃性	耐衝撃性 6.6 級
耐燃性	耐燃性 (UL94V0)
耐熱性:	耐熱性
耐凍性:	CPSC 規格/CE en 397 規格

□□□□□□:	□□□□□□□□□□
□□:	□□□□□□
□□□□:	□□□□□□□□□□
□□	□□□□
OEM MOQ req	2000 □
□□□□□□	1days
□□□□□□□□	□□□□□□□□□□□□ 40 □□□
□□□□□□	1. PP □□PE □□□□□□□ □□□□□□□ □□□□□□□□□□ 2 □□□□□□□□□□□□
□□□□	T □ T□□□□□□□ □ □□□□
□□□□	600□000pcs/□
□□□□	□□□□□□□□□□□□□□
□□□□□□□□□□□□:	CE EN397□CE EN12492
□□□□□□:	1. □□□□□□□□□□□□□□ 2. □□□□□□□□□□ 3. □□□□□□□□□□□□ 4. □□□□□□□□□□ 5. □□□□□□□ 6 □□□□□□□□□□

□□□□□□□□□□□□□□

Comfortable fit with various heads



VERY GOOD!!



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



Helmet Shape 101



European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection






MICRO DIAL ADJUSTMENT

Quick release headring system, made by Nylon material.



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



Safety helmet with visor exclusively for construction workers/tree cutting



EN166
EN174



CE Certificated
Color: Clear
Weight: 65g

New Products



Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.


Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

Packaging



18pcs/ctn

color box: 26*21.5*11.5cm

mastercarton: 80*45*44CM

20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

QC/QA



PRO. Q.C. SYSTEMS
Asia – Europe – America


e-mail: technical@proqc.com.hk
<http://www.proqc.info>

Final Inspection Report		No.: GZHG1302003863CE	
RESULTS			
Based upon the results presented, the inspected lot is judged to have been:	PASS	REJECTED	PENDING
	✓		
INSPECTION CHECK POINTS			
	CHECK POINTS	OK	NOK
1	PACKING	✓	
1.1	Export carton size	✓	
1.2	Export carton CBM	✓	
1.3	Carton Gross Weight	✓	
1.4	Carton Net Weight	✓	
1.5	Quantity per export carton	✓	12
1.6	Unit packing: The unit is put in a pp bag and then packed in the color box.	✓	
1.7	Color box printing: with logo	✓	
	Model number	✓	
	Product feature in Italian/Spanish/English	✓	
	CE mark	✓	
	Warning mark	✓	
	Manual	✓	
	Made in China label	✓	
	EAN barcode.	✓	
	Is a barcode scanner available? (YES/NO)	✓	
	Rating labels stuck on the unit	✓	
	Production date on the EPS liner	✓	

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

1

[illegible]