

□□□□□□□□ 5 □□ EPS □□

6. 3-6 □□□□□□□□

□□ □□□□□□□□□□□□□□

□□: □□□□□□□□

□□□□: □□□ EPS □□□□

□□□: M 52-57 CM;

□□: 205 g

□□□: Pantone

□□□: Headring □□□□ □□□□□□□□□□□□ □□□□ PA □□□□□□ (□□)□□□□□□□□□□□□

□□□□ □□□□□□□□□□□□:

□□□ □□□□	AU C02 □□□□□□□□□□□□□□
□□	EPS □□□□ & PVC □□□□□□□□
□□	CE EN1078
□□□□	6 □□
□	□□□□, □□□□□□
□□□□/□□	M 52-57 CM
□□	205 g
□□□□□□□	7 □□
MOQ	300pcs
□□□□□□□□	PP □ + □□ □□□□ □□□□□□ + mastercarton

□□□□□□□□□□□□ □□□□□□□□□□











□□ Packagaing

□□: 12 □□□□/□□□□


□□□□□□□: 73 X 58 X 35 cm

□□□: 6.50 kg

□□□□□: 1 □□/PP wth □□□□□□□□□□□□ 12 □□



Production Procedure



□□□□□□

□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□

OEM & ODM: □□□□□□ OEM □□□ ODM □□□□□□□□□□□□□□

R & D □□□: □□□□□□□□□□ □□□□□□ □□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□

-□□□□□: □□□□□□□□ □□□□□□□□□□□□□□□□

SHIPPING

