

□□□□□□ □□□□□□□□□□□□□□□□



□□□□□□□□□□ □□□□□□

- 1. □□□□□□□□ 215 g □□□□
- 2. □□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- 3. PC □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- 4. □□□□□□ EPS □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- 5. □□□□□□□□□□ □□□□□□□□ PA □□□□□□ (□□)□□□□□□□□□□□□
- 6. □□□□□□ □□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- 7. □□: CE EN1078 □□□□□□□□□□□.

□□□□□□□□ □□□□□□□□□□:

品名	AU C03 安全头盔
材质	EPS 泡沫 & PC 壳
标准	CE EN1078
尺寸	13 寸
重量	215 g
颜色	粉色, 白色
包装	S (47-52 CM) M (48-56 CM):
数量	7 个
MOQ	300pcs
包装方式	PP 袋 + 泡沫内衬 + mastercarton

安全头盔









Our In-house Testing Lab



Our In-house Testing Lab



CERTIFICATE



□□□□□:

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□□□:

SHIPPING

