



□□□□□□□□ 5 □□ EPS □□

6. 3-6 □□□□□□□□

□□ □□□□□□□□□□ □□□□□□:

□□: □□□□□□□□

□□□□: □□□ EPS □□□□

□□□: M 52-57 CM;

□□: 205 g

□□□: Pantone

□□□: Headring □□□□ □□□□□□□□□□□□ □□□□ PA □□□□□□ (□□)□□□□□□□□□□□□

□□□□□□□□□□ □□□□□□□□:

□□□ □□□□	AU C02 □□□□□□□□□□ □□□□□
□□	EPS □□□□ & PVC □□□□□□□
□□	CE EN1078
□□□	6 □□
□	□□□□, □□□□□□
□□□□/□□	M 52-57 CM
□□	205 g
□□□□□□	7 □□
MOQ	300pcs
□□□□□□□□	PP □ + □□ □□□□ □□□□□□ + mastercarton

□□□□ □□□□□□□□□□ **6** □□□□□□□□











## □□ Packagaing

□□: 12 □□□□/□□□□

□□□□□□□: 73 X 58 X 35 cm

□□□: 6.50 kg

□□□□□: 1 □□/PP wth □□□□□□□□□□□□ 12 □□
















# Production Procedure



□□□□□□

□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□

OEM & ODM: □□□□□□ OEM □□□ ODM □□□□□□□□□□□□□□

R & D □□□: □□□□□□□□□□□ □□□□□□□ □□□□□□□

□□: □□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□

-□□□□□: □□□□□□□□ □□□□□, □□□□□□□□□



# SHIPPING

