[illegible] - [illegible]

---[illegible]/[illegible]

TUV
SGS
AURORA - Your China Helmet Expert,
Alibaba highly recommended supplier!

Customize for brand
LAND
zerorh+
zerorh+

[illegible]

1.[illegible]

2、[illegible] [illegible]

3.[illegible]

4.[illegible]

5.[illegible]PC[illegible]

6.□EPS□□□□□□□□□□□□□□□

7.□□□

8.□□□CE-CPSC-ASTM-AS / NZS-TUV-EN1078□□□□□□□□□□□□

□□/□□□□□□□□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□□

□□□PC

□□□□□□□□□□□□EPS

□□□□L□55-60CM□

□□□280□□□□

□□□□□□□□□

□□□□Headring□□□□□□□□□□□□□□□□□□□□□□□□□PA□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□

1.Thicken PC□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2.□□□□□□□EPS□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

3.with□□□□□□□□□□□□□□□PA□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□4.Lining□

□□	□□□□□	□□
1.□□□	□□□/□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□

Product Display

[illegible]

[illegible] ISO / DIS 6220[illegible] [illegible]22[illegible] LIMAR[illegible]SCOTT[illegible] [illegible]SWEET ...[illegible] 90[illegible]


Helmet Shape 101
European Headform
A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.
Intermediate Oval
An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian head form
A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

□□&□038;□□

Packaging

Items per Carton: 12 Pieces/Carton
Package Measurements: 73X58X35 cm
Gross Weight: 6.50 kg
Package Type: 1PCS/PP bag wth color box, 12 PCS PER BROWN CARTON



□□□□□□□□□□□

INNER HOUSE TESTING

"Testing Procedures"

The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control.
The finished product, helmets at Aurora is then tested and qualified to export to the world.

Static Stability Testing

Head type detection


Head Circumference Testing

Conditioning Tests

Shock Absorbing Capacity

dynamic strength test

CERTIFICATE / AUTHENTICATION

Verification of Compliance

Certificate – Сертификат – 證明書 – Certificat – 증명서

SGS

Shenzhen Aurora Sports Goods Co., LTD.

EC Directive 89/686/EEC

SGS

Shenzhen Aurora Sports Goods Co., LTD.

EC Directive 89/686/EEC

Verification of Compliance

Certificate – Сертификат – 證明書 – Certificat – 증명서

外观设计专利证书

SGS

Test Report

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

□□□□□ □□□□□□

STEP1
WEAR IT IN THE PROPER POSITION
RIGHT
WRONG
STEP2
ADJUSTING THE STRAPS
STEP4
GETTING THE CORRECT
FIT FOR YOUR HELMET
STEP3
ADJUSTING THE CHIN STARP
AUTODIALER
HELMETS WITH VISTORS
RECEIVER
POST
PINS
HOLES

L'□□