

## Product Display



Five color ways



### 產品特點：

1. 重量僅 225 g 輕巧
2. 規格：符合國際標準安全規格
3. PC 材質，堅固耐用
4. 內置 EPS 緩衝材料，提供最佳保護
5. 採用高強度 PA 材料製成 (ABS) 輕便耐用
6. 可調節大小，適合不同頭型
7. 認證：CE EN1078 認證合格。

### 產品規格：

|       |                                       |
|-------|---------------------------------------|
| 型號    | AU C06 自行車安全頭盔                        |
| 材質    | 內置 EPS 緩衝 & PC 外殼                     |
| 認證    | CE EN1078                             |
| 尺寸    | 13 個                                  |
| 顏色    | 多款，可選                                 |
| 適用/範圍 | S: 45-50 cm 頭圍; M: 50-55 cm; L: 54-58 |

|     |                                |
|-----|--------------------------------|
| 重量  | 225 g                          |
| 尺寸  | 7 尺寸                           |
| MOQ | 300pcs                         |
| 包裝  | PP 箱 + 內 包裝 包裝箱 + mastercarton |

包裝說明書如下：











## ආරක්ෂක ආවේණිකතාවය:

ආරක්ෂකතාව:

ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය

ආරක්ෂකතාව

ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය

ආරක්ෂකතාව:

ආරක්ෂකතාවය considerably ආරක්ෂකතාවය ආරක්ෂකතාවය ආරක්ෂකතාවය



# Helmet Shape 101



## European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

## Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

~~~~~!~~~~~ & ~~~!  
~~~~~



ISO9001 CE



## 1



በጥቅም ላይ የዋለው የጥናት ዓመት 15 ዓመታት በጥናቱ ውስጥ R & D ስራዎችን በጥንቃቄ የሚያካትት የጥናት ዓመት ነው።



# Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material  
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing  
process



semi-finished In-mold  
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection  
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□□□□□

□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□

OEM & ODM: □□□□□□ OEM □□□ ODM □□□□□□□□□□□□□□

R & D □□□: □□□□□□□□□□□□□□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□

-□□□□: □□□□□□□□ □□□□, □□□□□□□□





**R&D TEAM**  
With professional and strong technical development team



## PRICE

We have our own production line, to reduce the price to a minimum





**PATENT**  
We constantly  
introduce patented  
technology products



## SERVICE

Perfect after-sales service, so customer satisfaction

[illegible][illegible]

## 11

