

-CE EN 12492

- EPS PC

- PC

-T_{pc} pc

-Patent :

<input type="checkbox"/>	AU-M01
<input type="checkbox"/>	pc <input type="checkbox"/> + pc <input type="checkbox"/>
<input type="checkbox"/>	EPS <input type="checkbox"/> + <input type="checkbox"/>
<input type="checkbox"/>	pe <input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	53-62cm
<input type="checkbox"/>	275 g
<input type="checkbox"/>	14 <input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	ce <input type="checkbox"/> 12492
<input type="checkbox"/>	3-7 <input type="checkbox"/>
moq	200 pc
<input type="checkbox"/>	1. PP <input type="checkbox"/> , pe <input type="checkbox"/> , <input type="checkbox"/> , <input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> .
<input type="checkbox"/>	2 <input type="checkbox"/>

[:](#)

Professional rock climbing helmet



AU-M02



DOUBLE IN-MOLD CONSTRUCTION

It places impact-resistant EPS foam on the inside of the helmet which is then surrounded by a durable polycarbonate outer shell for strength and puncture resistance.





HEAD LOCK ADJUSTMENT

Quick release heading system, made by Nylon material.



SOFT WASHABLE PADS

Ergonomic interior padding for comfort and durability



SHIPPING

