

AU C02



□ □ □ □ □ □ □ □ □ □ :
□ □ □ □ □ □ □ □ □ □ :

□□□ □□□□	AU C02
□□	EPS □□□□ & PVC □□□□□□□□
□□	CE EN1078
□□□	6 □□
□	□□□□, □□□□□□□□

□□□/□□	M 52-57 CM
□□	205 g
□□□□□□	7 □□
MOQ	300pcs
□□□□□□□□	PP □ + □□ □□□□ □□□□□□ + mastercarton

□□ □□□□□□□□□□:

- 1□ □□□□□□ 205 g □□□□□□
- 2. PC □□□□□□□□□□□□□□□□□□□□
- 3 □□□□□□ EPS □□□□□□□□□□□□□□□□□□□□□□□□
- 4. □□□□□□□□□□ □□□□□PA □□□□□□ (□□)□□□□□□□□
- 5. □□□□□□ □□□ □□□□□□□□□□□□□□□□□
- 6. □□: CE EN1078 □□□□□□□□□□.











Packaging

Quantity: 12 units/case

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Material: 1 PC/PP with 12 units



Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

[illegible]

CERTIFICATE



15 R & D

-

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□□□:

□□□□□□□□ □□□□□□□□□□□□: DHL□TNT□UPS□□□□□□□□EMS □□□□□□□□.□□□□□□□□□□□□

11