

AU S02

PC	PC PC PC PC PC PC PC PC PC PC PC PC AU S02
PC PC PC PC	AU S02
PC PC	PC PC + PC PC PC PC PC
PC PC	PC PC EPS (PC PC PC PC)
PC	PC + EPS PC PC
PC PC PC PC	CE EN 1077
PC PC / PC PC	S: 51-55 cm M:56-59 cm L:60-62 cm
PC	400 g
PC	PC PC
PC PC PC PC	3-7 PC
MOQ PC OEM	300 PC
PC PC	1. PP PC PE PC PC PC PC PC PC PC PC PC PC PC PC
	2. PC PC PC PC

QUESTION


1. 2015 年 12 月 31 日 止 的 年 度 報 告
2. 2015 年 12 月 31 日 止 的 年 度 報 告
3. ABS 的 年 度 報 告
4. EPS 的 年 度 報 告
5. 360 ° 的 年 度 報 告
6. 2015 年 12 月 31 日 止 的 年 度 報 告











Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

--	--	--	--	--	--	--	--	--

~~~~~!~~~~~ & ~~~~  
~~~~~!~~~~~



□□□□□□□□: □□□□ ISO9001□□□□□□□□CE □□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□

1

[illegible]



Eps raw material
by different density



In-mold producing process



Plastic injection workshop



Installed counters

[illegible]

11