

giro



EN1078
CE Certificate

Super Light Bicycle Helmet 26 vents (Model:AU-B01)



Factory Facilities

<p>1</p> <p>1) Foam material-import from US, Austria...</p>	<p>2</p> <p>2) Steam boiler—3 sets, one is 6 ton, the other is 10 ton</p>	<p>3</p> <p>3) Automatic molding machine—80 sets</p>	<p>4</p> <p>4) Screen printing machine from Germany</p>	<p>5</p> <p>5) Test Lab-We work intensively with the third party test lab-SGS</p>
---	---	--	---	---

Website: <http://www.aurorasport.com>






















Internal Structure:

Internal Structure:

The internal structure of the helmet is designed to provide maximum protection and comfort. It consists of a series of layers, including a hard outer shell, a foam liner, and a chin strap.

Internal Structure:

The internal structure of the helmet is designed to provide maximum protection and comfort. It consists of a series of layers, including a hard outer shell, a foam liner, and a chin strap.

Internal Structure:

The internal structure of the helmet is designed to provide maximum protection and comfort. It consists of a series of layers, including a hard outer shell, a foam liner, and a chin strap.

Our In-house Testing Lab



□□:

□□□□□□: □□□□ ISO9001□□□□□□□□CE □□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□□□□□□□□□□□□□□□□□□□

□□□ □□□□□ → PC □□□□□ □□□□□ → PC □□□□□□□□ → □□□□□□□□□□□□□□ → □□□□□ EPS □□ → EPS □□□ → □□□□□□□□□□ □□□ □ → □□□□□ → □□ → □□□□□□□□□□ → □□□□□□□□□□□□ □□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□□□□ → □□□□□□□□□□□□□□□□ □□□□□ → □□□□□□□ → □□□□□□□□□□□□□□□□□□□□

SHIPPING

