

□ □□□ □□ :

1. □□ □□□□ □□□ □□□□□□.
2. 3 □□ □□ □□□□ □□□ □□□ □□ □□ □□□ □□□□, □□□□ □ □□□ □□□.
3. □□□ □□□□ : □□□ □□□□ □□ □ □ □□ □□□□□.
4. □ □□ □□ : □□□ □ □□□ □□, □□ □□ □□ □ □□ □□ □□ □□ □□ □□.
5. □□□□ PC □.
6. □□ EPS □□□ □□□□ □□□□.
7. □□□ □□□□ : □□ □□□ □□ □□ □ □; □□□ □□□ □□.
8. □□ : CE-CPSC-ASTM-AS / NZS-TUV-EN12492 □□ □□□ □□ □□.

CE □□ □□□ □□ **AU-M01** □□□ □□ □□ □□□ **CPSC** □□□□.

□□ □□

1. □ □□□ PC □, □□ □□□ □□ □ □□□.
 2. □□□ □□□ EPS □□, □□, □□□, □□□□ □□□ □□□□.
- □□, PA □□, □ □□ 3..
4. □□□ □□ □□ □□ □□□ □□□□.
 5. □ □□□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□ □□ □□ □□.

□□ □□









□□ □□ □□

□	□□	□□ □□
1. □□ □□	□□ □□ □□	□□ □□ helmet
2.ModelNumber	AU-M01	
3. □□	PC + EPS	□□, □□□ □ □□□ □□ □□□ □ ITW□ headkey-headring.EPS □□ □□, EPS□ + PC□ inmould, □□ □□, □□ □ □ withquick □□□ □□; □□ □□ □ □; □□ □□ □□
4.Visor	□□□ □□□	□□ □ □□□ □□□□ □□ □□
5.Color	□□ pantone □□	□□ pantone □□

6.Size	L (48-52 CM)	□□ □□□ □□
7.Logo	□□□ □□, □□ □□, □ □□, □.	
8. MOQ	500 PCS□	□ □□ 300PCS □□ □□
9. □□	Size73 * 58 * 35CM	
10.Packing	12PCS / CTN	10PCS □□□ CTN
11.Price □□	□□ □□	
12.Shipping □□	□□ □□ □□ □□□□ □ □□	
(13) □□	PaypalT / T, □ □□ □□□, L / C	
14.Sample □□	4~7□	□□□□ □□ □□ □□□□□ □
15.Production □ □ □□	20~30□	□□ □□ □ □□ □□ □□, □□ □□ □□□ □□

□□ Headform :

□□□ □□□ □□□ □□ □□ □□□□ □□□□ □□ □□ □□□□□□ □□□□□.

□□ headform :

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□ □□ □□□□□□.

□□□ headform :

□□□ □□□ □□□ condierably □ □□□ □□□□ □□□ □□ □□□□□□ □□□ □□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□:


□□□ □□□□□ □□□ □□□ □□ adjust□□□ :

1 □□ : □□□ □□□ □□□ □□□ □□□□□ □□□ paralle□□□□

□□ □□□ □□ □ □□□ □□ □□ □ □□□□□ □□ divider 2.Adjust □□

□□□ □□□ □ □□□□ □ □□ 3.Adjusting □□

□□ 4.Adjust □□□ □□ □□ □ □□□ □□□□□□□



PC PC EPS PC :

PC PC → PC PC → PC PC → PC PC EPS PC → EPS - PC PC → PC PC PC → PC PC → - PC PC → PC PC PC → IQC PC → PC PC → PC PC PC → PC PC PC PC → PC PC → PC PC → PC PC → PC PC.

MANUFACTURING PROCESS SHOW



Shenzhen Aurora Sports Goods Co., LTD established in the year of 2012, more than 22 years experience. Expert in production of all kinds of helmets for different sports. Excellent quality, reasonable price, fast delivery makes us get very good reputation among our customers. Expert in OEM and ODM orders. Our skilled R&D team offers one stop service for throughout customers. 99% export and our main market is North America, European, Australia, Japan etc. Your enquiry is very welcomed and we will try our utmost to help you establish solid market. We are looking for long term relationship and get win win situation.



1. Helmet house



2. printing



3. PC blister tooling



4. In-Mold producing process

5. EPS In-mold tool



6. raw EPS material with different density



7. Inner padding Production



8. Packaging



9. finished helmet

Our helmets are made of high quality EPS material, which is safe and reliable. We have passed the CE, EN1078, EN397, EN12492, CPSC and other international standards. Our helmets are available in various colors and sizes. We are looking for long term relationship and get win win situation!

Our In-house Testing Lab



Internatioanl 00000, 0000 & A; 00 000 0 000 00 0 000! 000 000 000 & A 000 00 00 000 000 0 0000; 000 000
00 00 000 00 0000! 000 00 00 00 00 & A0 0000 000 00; 00 0000, 000 00 000 0000 000 00 000 000 000! 000 0
0, 00 00 000 0000 00 0000!



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



□ □□□ □□?

---- □□□ □□ □□□ □□ □□□

□□ : □□□ □□ □□ □□□ □ □□ □□

OEM & A, ODM : □□□ □□□□□□ OEM □ ODM □□□□ □□ □ □ □□□□

R & A, D □ : □□□□□ □□□ □□ □□ □□ □□

□□ : □□□ □□□□□ □□□ □□□ □□, □□ □□□ □□ □□□ □□□

□□ : □□□ □□□□□ □□ □□□ □□□ □□

□□□ : □□□ □□□ □□□, □□□ □□ □□

□□□ □□□ □□□ □□ □□□ □□□ 15 □ □□□ □□□ □□ □□ □□□□□. □□ □□□□ R & A, □□ □□□ □□ D □, □□□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□□ □□□ □□ □□□□ □□ □ □□□□.

