

CONSTRUCTION SAFETY HELMET



PRODUCT VIEWS



FRONT VIEW



BACK VIEW



SIDE VIEW



INTERNAL VIEW



FACE MASK



FACE MASK



PLUG AND SOUNDPROOF EARMUFFS



SLOTS



The adjustor arm can be adjustable -- UP



The adjustor arm can be adjustable -- DOWN



PRODUCT SPECIFICATIONS

- Out shell - PP shell
- Inner structure - PU top liner+webbing suspension system
- Ventilation - 10 Air Intakes
- Headband - PE polythene
- Inner lining - Fully Washable and detachable
- Size Universal - Adjustable 51-62cm
- Size Adjustment System -Up-N-Down
- Weight - 358g (ear muffs and plugs are not included)
- Lamp Carrying System - External Nylon 6.6
- Lamp Clips
- Two Slots for mounting ear defenders and fixing the head lamp - included
- Available Regular Colors - White, Yellow, Orange, Red, Blue and Green,
- Made in China

CERTIFICATIONS

CE EN 397 for Industrial Safety Helmet Standard

CE EN 12492 for Mountaineering Safety Helmets Standard



AURORA SPORTS LIMITED
Your China Helmet Specialist



Helmet accessories available

aurora helmet with plastic visor
The set is compatible with our special visor and earmuff.

- | | |
|---------|--|
| AU-M02 | white
Red
Yellow
Orange
Blue
Green
black |
| Visor | plastic with eye protection |
| earmuff | good sound insulation |



aurora helmet with LED light.

- | | |
|-----------|--|
| AU-M02 | white
Red
Yellow
Orange
Blue
Green
black |
| Led light | headlamp led light |



aurora helmet with ear protection and mesh faceshield

- | | |
|------------|--|
| AU-M02 | white
Red
Yellow
Orange
Blue
Green
black |
| earmuff | good sound insulation |
| faceshield | iron mesh |



Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning




Hiking



“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING


- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



headform

ISO / DIS 6220 22 LIMAR, SCOTT, 100 80 headform, 100 90 headform.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

Q&A

1. OEM 如何選擇?

如何選擇 OEM 如何選擇? OEM 如何選擇? 2015 年 EN397 如何選擇? R & A; D 如何選擇? R & A, D 如何選擇? 如何選擇? 如何選擇? 如何選擇?

2. ODM 如何選擇?

如何選擇 ODM 如何選擇? 20% 如何選擇? 15 ~ 20 如何選擇? 2015 年 EN397 如何選擇? 5 ~ 6 如何選擇?

3. 如何選擇?

如何選擇? 如何選擇? 如何選擇? 如何選擇? 如何選擇?

4. 如何選擇?

如何選擇? 如何選擇? 24 如何選擇? (如何選擇?) 如何選擇?

5. 如何選擇?

如何選擇? 360 如何選擇?

00. 00 00 0 000000 0000 0000 00, 0000 000000

00 00 000 000 00000 2015 0000 00 00 EN397 00 00 00, 0000 00 00 0 00000 000000 0000 0000 0000 0 0 0000.

0. 00000 00, 0000 0000 0000 00 0000 0000000 00 0 0000 00 0 00 0000 00 0 0000 00000 00 00 00, 0000 00 00000 00 00.

00. 0000 0000 0000 00 00, 0000 0000 0000 00 00000.

0000 00 0000 0000, 00 0000 00000 0000 VIP 00000 00 0 00000.

0 0000 00 00 0000 0 0 6.?

0, 00 0000 0000 0000 00 0000 0000 00 0 0 00000.

7. 000000 00 0000 000000?

00. 00 0000 00, 0000 DHL, UPS, TNT, 0000, EMS 00 0000 000000. DHL 0000 000000. 0000 00 0000 000000 00000 0000 00 00 0 0 00000. 0000 00 00000 0000 000000 00 00000 00 0000 00, 0000 0000 00000 00000.

B. 0000 0000 00, 00000 0000 000000.

8. 00 0000 000000?

T / T. 0000. 0000 0000.

CE 00 00

0000 - 0000 00 00 0000, 000000 00 00 00.

00 : AU-M02 00 00

0000 : 10 0000

00 : 407g

00 : 00 00, 0000 0 0 0 ITW 00,0 00 00 0000, 00 0000 00000000 0 00 00000 ABS 0 + EPS 0 00.

0000 : M (51-62CM)