

□□ □□

□□□	□□□ □□ □□□ □ □□ LED <a href="#">□□□□-□□</a>
□□ □□	AU-BH12
□□	- □□ EPS □□□ & A; PC □
□□	CE EN 1078
□□ / □□ □□	M / L58-62cm
□□	18 □□
□□	245g
□	PANTONE
□□ □□	3-7 □□ □
□□ □□	□□ □□□ □□ □□, □ □□ □□ □□□□, □□ □□ □□ □□□□, <a href="#">□□ □□□□-□□</a> , <a href="#">□□ □□ □□ □□ □□ □□</a>
□□ □□ □□	1.PP □□, PE □□, □□ □□, □□ □□ □ □□□□ □□ □□□□□ □□□□□□.
□□□ □ :	2. □□ □□ □□
	□□□ □□□ 1. □□ □□
	2. □□ □□□□
	□ □□ □□□ □□ 3. □□ □□
	4. □□□□ □ □□ □□
	□□ 5. □□ □□
□□ 6. □□.	

[□□□□□□ □□](#) □□:











padding, chin strap & A chin strap; it is 24 inches long and is made of a strong, durable material. The chin strap is made of a strong, durable material and is designed to provide a secure fit. The padding is made of a soft, comfortable material and is designed to provide a comfortable fit.

## Headform

Headform :

The headform is a device used to test the fit and comfort of a helmet. It is made of a material that mimics the shape and weight of a human head. The headform is used to test the helmet's ability to protect the head in the event of an impact.

headform :

The headform is a device used to test the fit and comfort of a helmet. It is made of a material that mimics the shape and weight of a human head. The headform is used to test the helmet's ability to protect the head in the event of an impact.

headform :

The headform is a device used to test the fit and comfort of a helmet. It is made of a material that mimics the shape and weight of a human head. The headform is used to test the helmet's ability to protect the head in the event of an impact.

# Helmet Shape 101



## European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

## Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

EN 1078

EN 1078 is a standard for motorcycle helmets designed for riders with European headforms. It specifies requirements for impact protection, retention, and other safety features. Helmets meeting this standard are marked with the EN 1078 logo. Other standards mentioned include EN 397 (for industrial safety helmets), EN 12492 (for motorcycle helmets with a different headform), CPSC (for bicycle helmets), and A (for motorcycle helmets with a different headform).

# “Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test



# CERTIFICATE / AUTHENTICATION



000 00 000 00 0000 00000. 000 000 0000 000 000 000 0 0000. 00 00 0 A0 00000 00; 000 00, 000 00 00 00 &  
 A0 00 000 00; 0 00 0000. 00 00 00 & A0 000; 00 000 0000 000 00 & A0 00 0 0 0000, 00 00 00 000 00;  
 assistance.Make 000 00 000 00 & A; 00!



**PAYMENT**

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



**SHIPPING**

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



我們接受 T/T ,Western Union or Paypal before production. 3-15 working days since payment receipt (based on actual quantity). Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

我們提供多種運輸方式：DHL、UPS、FedEx、航空、海運、陸運。所有運輸均提供追蹤服務。如有任何問題，請隨時與我們聯繫。