□ □□, □□ □□□ □□, □, □□ AU-S02 □□

□ □□	□ □□, □□ □□□ □□, □, □□ AU-S02 □□
□□ □□.	AU-S02
□□ □□	PC □□ + □□□ □ □□ □□□□
□□ □□	□□ □□ EPS□ (□□ □□□□□)
□□ □□	PC + EPS □□
□□ □□	CE EN 1,077
□□ / □□ □□	S : 51-55cm M : 56-59cm L : 60-62cm
□□	400g
□	PANTONE
□□ □□	3-7 □
MOQ □ OEM	(300) PCS
□□ □□	1.PP □□, □□ □□, □□ □□, □ □□ □ □□ □□ □□ □□□□.
	2. □□ □□ □□ □□

□ □□ □□□ □□ :

1. □□□ 2015 □□□, □□ □□□ □□□□ □□□□□.

2. □□□ □□ : □□ □ □□□ □ □□ □□, □□.

3. □□□ ABS □, □□ □□□ □□ □ □□□.

4. □□ □□ □□ EPS □□, □□□ □□ □□□ □□□ □□□ □□ □□□ □□, □□, □□ □□ □.

□ 360 □□ □□ □□□, □□□ □□ □□ □□ □□□ □□ □□ □□ □□ □□□□.

6.□□□□ □□□□ & A □□□; □□□ □□ □□ □□ PP □□, □ □□□ □□ □□ □□ □□ □□□ □□□ □□ & A□□□; □□ □□□□ □□ □□□□□. □□ □□□□, □□□ □□ □□ & A□ □□; □□ □□□ □□, □□ □□□□ □□ □□□□□□□.

□□ □□ □□□ □□ :

□□ Headform :

□□□ □□□ □□□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □□ □□□□□□□.

□□ headform :

□□ headform □□□ □□□□ □□□ □□□ □□□□ □□ □ □□□ □□□□ □□□ □□ □□□□□□□.

□□□ headform :

□□□ □□□ □□□ □□□□ □□ condierably □□ □□□ □□□□ □□□ □□ □□□□□□□.


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □ :

□□ □□□ □□□□ □□, □□□ □□□□ □□□ □□ □□□□□□, □□ □ □□□ □□□□□ □□! □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□□ & A □□□□□; □□ □ □□! □□□ □□ □□□ □□□ □□□ □□□ □□ □□ □□□ □□ □ □ □□□□ □□□□ □□□ □□ □ □ □□□□ □ □□□, □□ □□□ □□ □ □□□ □ □□□□□!

□□:

□□□ □□□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□ □□□ □□ □□□ □□□□

CERTIFICATE

□□□ □

□□□ □□□ □□□ □□ □□□ □□□ 15 □ □□□ □□□ □□ □□ □□ □□□□□. □□ □□□□ R & A, □□ □□□ D □, □□□ □□□ □□□ □□□□ □□ □□□ □ □□□ □□□ □□ □□□ □□□□ □□ □□□□ □ □□□□□ □□ □ □□□□.

□□□ & A; □□□

□□□ □□□ □□ □□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□□□□ □□□ □□□ □□ □□□□ □□□ □□□ □□ □□□ □ □ □□□□ -□ □□□ □□ □□□ □□□ □ □□□ □□□ □□□ □□ □□□□ □□□ □□□ □□□□□.

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□ □□ :

□□ □□ □□□ □□□ □□ :

□□ □□□ → PC □□ □□ → PC □□ □□ → □□ □□□ □□□ → □□ □□ □□□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□□ → □□ □□ → - □ □ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ →□□ □□ → □□ → □□ → □□ □□□.

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

□□ □□ :

□□ □□, □□□□ & A; □□ □□□ □ □□□ □□ □ □□□! □□□ □□□ □□□ & A □□□ □□ □□ □□□ □□□ □ □□□□; □□□ □□□ □□ □□ □□□ □□ □ □□□! □□□ □□ □□ □□ □□ & A□ □□□□ □□□ □□; □□ □□□□, □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□□! □□□ □□, □□ □□ □□□ □□ □□ □□ □□□□!

SHIPPING