ABS □ □□□ □□ □□, □□ □□ □□□ □□ □□

□□ □□	AU S12
□□ □□	□ □ □ + □□ □□□ □□□□
□□ □□	Hight □□ EPS (□□ □□□ □ □)
□□	ABS + EPS □□
□□ □□	CE EN 1077
□□/□□ □□	S/M 54-58 cm M/L58-62 cm
□□	460 g
□	□ □
□□ □□	3-7 □□
MOQ □ OEM	300 PC
□□ □□ □□	1. PP □□, PE □□, □□ □□, □ □□ □□□ □□□ □□ □□□ □ □□□□□.
	2□□□. □□ □□ □□ □
□□□ □□:	1□□□. □□ □□ □ □□□ □□□
	2□□□. □□ □□□ □ □□
	3□□□. □□ □□ □ □□ □ □□ □□□ □□
	4□□□. □□□ □□□ □ □□ □□□ □□
	5□□□. □□ □□ □ □ □ □□
	6□□□. □□ □ □□□□□.

□□□ □□ □□ □□□ □□:

1. □□□ 2015 □□□, □□ □ □□□ □□□□ □□ □□.

2. □□□ □□: □□ □ □□□□, □□ □□□ □ □□.

3. □ □□ ABS □ □□ □□□ □□ □ □ □□.

4. □□□ □□ EPS □□, □□□ □□ □□ □□□ □□, □□ □□, □□□ □ □□ □□ □□□ □□.

5. 360 ° □□ □□ □□□, □□□ □□ □□ □□, □□ □□ □□□ □□ □□ □□ □□ □□.

6□□□.□ □□ □□□□ & □□□ □□ □□ □□ PP □□, □ □□□□□. □□ □□ □□ □□ □□ □□□ □□ □ □□ □□□□ □□□ □ □□. □□, □□ □□ □□ □□ □□ & □□□ □ □ □, □□ □□□ □□, □□ □ □□ □□□□□.

□□ □□□ □□ □□ □□:

TO SIZE
ROTATE

□□ □ □□: 12 □ □□/□□

□□□ □□: 73 X 58 X 35 cm

□ □□: 6.50 kg

□□□ □□: 1PCS/PP □□ wth □□ □□, □□ □□ □ 12 PC

Packaging

Items per Carton: 12 Pieces/Carton
Package Measurements: 73X58X35 cm
Gross Weight: 6.50 kg
Package Type: 1PCS/PP bag wth color box, 12 PCS PER BROWN CARTON



□□ □□□ □□□ □□:

□□ Headform:

□□□ □□□ □□□ □□□ □□ □□□ □□□□ □□□ □ □ □□ □□.

□□ headform:

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □ □□ □□□□□.

□□□ headform:

□□□ □□□ □□ A □□ condierably□ □□□□ □□□ □ □ □□ □□□□□ □□.


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □:

□□ □□□ □□ □□ □□□ □□ □□ □□□ □□□ □□□□□□ □□ □□ □□□ □□ □□□ □□□□ □□! □ □□□ □□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□□ & □□□! □□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□ □ □□□ □□ □□□ □□ □□ □ 3 □□ □□ □□□ □□ □□□□ □□□ □ □□ □□ □□ □ □□□□!

□□□ □□□ □□□: □□□ ISO9001, □□ □□, CE □□, □□□ □□□ □□□ □□ □□□ □□ □□□ □□□ □□ □ □□□ □□ □□□ □□□

CERTIFICATE

[illegible]

[illegible] 15 [illegible] R & D [illegible]. [illegible]

[illegible]

[illegible]

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□ □□:

□□ □□ □□□ □□:

□□ □□□ → PC □□ □□ → PC □□ □□ → □□□ □□□ □□ → □□ □□ □□□ EPS □□ → EPS □ □□ □□ → □□ □ □□ □□□ → □□ □□ → □ □ □ □□ → □□ □□ □□ → □□ □ □□ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ →□□ □□ → □□ → □ □ → □□□ □ □□□□□.

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

□□ □□:

□□ □□□□□, □□ □□ □ □□ □□□ □□ □□ □ □ □□ □ □□! □□□ □□□ □□□ □□ □□□ □□□ □□□ □ □□□□ & □□□ □□□ □□ □□ □□□ □ □ □□□ □! □□□ □□ □□ □□ □□□ □□□ □□□□ □□□ □□, □□□ □□ □□□ □□□ □□ □□ □□□ □□ □□□! □□ □□ □□ □□ □□ □□□ □□ □□ □□ □□ □ □ □!

SHIPPING