ABS □ multifuntional □□ □□ □□□ □□ □□

□□ □□.	AU-S01
□□ □□	ABS □□ + □□□ □ □□ □□□□
□□ □□	□□ □□ EPS□ (□□ □□□□□)
ventilateion □□	□□ □□ □□ □□□, (□□ + □□□) □□ □□
□□□□	□□ □□□ □ □□
□□ □□	ABS + EPS □□
□□ □□	CE EN 1,077
□□□□ □□	CE EN166-174
□□ / □□ □□	S / M 54~58cm, M / L58-62cm
□□	500g (□□ □□)
□	PANTONE
□□ □□	3-7 □
MOQ □ OEM	(300) PCS
□□ □□	1.PP □□, □□ □□, □□ □□, □ □□ □ □□ □□ □□ □□□□.
	2. □□ □□ □□ □□

□□□ □□ □□ □□□ □□ :

1. □□□ 2015 □□□, □□ □□□ □□□□ □□□□□.

2. □□□ □□ : □□ □ □□□ □ □□ □□, □□.

3. □□□ ABS □, □□ □□□ □□ □ □□□.

4. □□ □□ □□ EPS □□, □□□ □□ □□□ □□□ □□□ □□ □□□ □□, □□, □□ □□ □.

□ 360 □□ □□ □□□, □□□ □□ □□ □□ □□□ □□ □□ □□ □□ □□□□.

6.□□□ □□□□ □□□□ & A □□□; □□□ □□ □□ □□ PP □□, □ □□□□□ □□ □□ □□ □□ □□ □ □□ & A□ □□; □□ □□□□ □□ □□. □□ □□□□, □□□ □□ □□ & A□ □□; □□□ □ □□ □□ □□ □□□ □□□ □□ □□□□ □□ □□□□□□□.

□□ □□□ □□ □□ :

12 □□ / □□ : □□ □ □□

□□□ □□ : 73X58X35 cm

□ □□ : 6.50 kg

□□□ □□ : 1PCS / PP □□ WTH □□ □□, □□ □□ PER 12 PCS

Packaging

Items per Carton: 12 Pieces/Carton
Package Measurements: 73X58X35 cm
Gross Weight: 6.50 kg
Package Type: 1PCS/PP bag wth color box, 12 PCS PER BROWN CARTON



□□ □□□ □□□ □□ :

□□ Headform :

□□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□ □□ □□□□□□□□ □□□□□.

□□ headform :

□□ headform □□□ □□□□ □□□ □□□ □□□□ □□ □ □□□ □□□□ □□□ □□ □□□□□□□.

□□□ headform :

□□□ □□□ □□□ condierably □ □□□ □□□□ □□□ □□ □□□□□□□ □□□ □□ □□.


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □ :

□□ □□□ □□□□ □□, □□□ □□□□ □□□ □□ □□□□□□, □□ □ □□□ □□□□□ □□! □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□□ & A □□□□□; □□ □ □□! □□□ □□ □□□ □□□ □□□ □□□ □□ □□ □□□ □□ □ □ □□□□ □□□□ □□□ □□ □ □ □□□□ □ □□□, □□ □□□ □□ □ □□□ □ □□□□□!

Our In–house Testing Lab

□□□ □□□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□ □□□ □□ □□□ □□□□

CERTIFICATE

□□□ □

□□□ □□□ □□□ □□ □□□ □□□ 15 □ □□□ □□□ □□ □□ □□ □□□□□. □□ □□□□ R & A, □□ □□□ D □, □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□□ □ □□□□□ □□ □ □□□□.

□□□ & A; □□□

□□□ □□□ □□ □□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□□□□ □□□ □□□ □□ □□□□ □□□ □□□ □□ □□□ □ □ □□□□ -□ □□□ □□ □□□ □□□ □ □□□ □□□ □□□ □□ □□□□ □□□ □□□ □□□□□.

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□ □□ :

□□ □□ □□□ □□□ □□ :

□□ □□□ → PC □□ □□ → PC □□ □□ → □□ □□□ □□□ → □□ □□ □□□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□□ → □□ □□ → - □ □ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ →□□ □□ → □□ → □□ → □□ □□□.

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

□□ □□ :

□□ □□, □□□□ & A; □□ □□□ □ □□□ □□ □ □□□! □□□ □□□ □□□ & A □□□ □□ □□ □□□ □□□ □ □□□□; □□□ □□□ □□ □□ □□□ □□ □ □□□! □□□ □□ □□ □□ □□ & A□ □□□□ □□□ □□; □□ □□□□, □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□□! □□□ □□, □□ □□ □□□ □□ □□ □□ □□□□!

SHIPPING