ASTM □ □ □□ □□□□ □□ □□ □□□ □□□□ □□ AU-L001

□□ □□ □□□ □□□□ □□:

□□	□□□
1 □□□ □□	□□□□ □□
2 □□ □□	AU-L001 □□□□ □□
3. □□	PC + EPS
4. □□	□ pantone □□
5 .□ □□	L (56-61 c m)
6. □□	□□□ □□, □□ □□, □ □□ □
7. □□	300 pcss
8. packate □□	PP □□, □□ □□□ + 12 □□ □□ □/ctn

9. □□ □□	□□ □□
10. □□ □□	□□□ □□□ □□ □□ □□□ □□□
11. □□	□□□, t/t, □□□ □□□
12. □□ □□	4-7 □
13. □□ □□	45 □

VENTILATION SYSTEM

Small vents design, it can keep warm but with the aerodynamic efficiency.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.

SOFT WASHABLE PADS

Ergonomic interior padding for comfort and durability

HIGH DENSITY EPS FOAM

Impact-absorbing material, offering great protection on our head.

□□ □□ □□□ □□ □□ □□□:

□□ □□ □□:

□□□ □□□ □□□ □□□ □□ □□□□ □ □□ □□□ □□ □□ □□□□□ □□□□ □□.

□□ □□ □□:

□□ headform □□□ □□--□□ □□ □□ □□ □ □□--□□ □□□ □□□□ □□□ □□ □□ □□□□□.

□□□ □□ □□:

□□ □□ □□□ conderably □ □□□ □□ □□□□ □□□ □□ □□□ □□ □□□□□ □□ □□□.


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□ □□□:

□□ □□□ □□ □□ (□□ □□, □□ □□, □ □ □ □□ ...) □□□ □□ □□□ □□□□□ □□ □□□ □□□ □□ □, □□□ □□□ □□□ □□ □□ □□ □□□ □ □□.

Our In-house Testing Lab

□□:

□□□ □□□ □□□□□□□: □□□ ISO9001, □□ □□, □ □ □□□ □□, □□□ □ □□□ □□□ □□ □□ □□□ □□ □□ □□ □□ □□ □□ □□□ □□□ □□□ □□ □□ □□

CERTIFICATE

□□□□

□□□ □□□ □□ □□ □□, □□□ □□ □□□ □□ □□ 15 □ □□ □□. □□ □ □□□ □□ □□ □□□ □□□ □□ □ □□ □□, □□□ □□□□ □□□□ □□ □□ □□ □□□ □□ □□ □ □ □□□ □□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□ □□ □ □ □□□□.

□□□ □ □□□

□□□ □□□□ □□ □□ □□ □□ □ □ □□-□□ □□□ □□□ □□□ □□□□□ □□□ □□ □□ □□□ □□ □ □□□□ □□□ □□ □ □□□□-□□□ □□□□ □□□ □□□ □□ □□ □□ □□□ □□□□ □□□□□□ □□ □□.

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□ □□:

□□ □□ □□□ □□□□ □□:

□□ □□□ → PC □□ □□ □□ → PC □□ □□ → □□□ □□ □□ → □□ □□□□ □□□ EPS □□ → EPS □ □□ □ □ → □□ □ □□ □□□ → □ □□ □ □ → □ □□ □ □ → □ □□ □□ □□ → □ □□ □ □□ □□ → iqc □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ →□□ □□□ → □ □ → □ → □□ □ □□□.

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

□□ □□:

□□□ □□ □□ □□ □□□ □□ □□□. □□□ □□□ □□ □□ □□ □□□ □□□ □ □□. □□ □□□□ □□ □ □ & □□□ □□ □□ □□□□, □□□ □□□□ □□ □□ & □ □□□ □□ □□ □ □□□ □□ □□□□. □□□ □□ □□ □ & □□ □□ □□□ □□, □□□ □□□ □ □□ □□ & □□□ □□□ □ □□ □□□ □□ □□ □□□ □□ □□□□ □□ & □□!

SHIPPING