







□□□ □□

□ □ □ □□ : 12 □□ / □□□

□□□ □□ : 73X58X35 cm

□□□ : 6.50 kg

□□ □□ : 1PCS / PP □□ wth □□ □□, 12 PC □ □□□ □ □





□□ □□□ □□ □□ □□ □□ □□ :

□□ □□□ :

□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□□□□□□. □□□□□□□.

□□ □□ □ :

□□ headform □□□ □□□□ □□ □□□□ □□ □ □ □□ □□□□□ □□□□ □□□ □□ □□□□□□□□.

□□□ □□ □ :

□□ □□□ □□□ □□□ □□ □□□ □□□ □□□□□□□□. □□□ □□□ □□□□□□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □ :

□□ □□ □□□ □□ □□ (□□□, □□ □□□, □□ □□ □)□□□ □□□ □□ □□□ □□□□, □□ □□ □□□ □□ □□□ □□ □□□□.

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□ :

□□ □□ □□ □□ □□□□.

□□ □□ → PC □□ □ □□ → PC □□ □ □□ → □□ □□ □□ → □□ □□□ EPS □□ → EPS in-mold □□ → □□ □□ □ □□□ → □□ □ □
 □ → □□ □ □□ → □□ □□ □□ → □□□ □□ □ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □
 □ → □□□ □□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □ □□ □□□□□□. □□□ □□□□ □□ □□ □□□ □ □□□□. □□ □□□ □□□□□ □□ & □□□ □□□ □□, □□□ □□ □□ □□ & □ □□ □□□. □□ □□ □□□ □□ & □□ □□ □□□□□ □□ □□□ □□ & □□□ □□□□□□. □□!

SHIPPING

