

□□□□□□□□, □□, **AU-C06** □□□□□□□□□□□□□□□□□□□□



--	--	--	--	--	--	--	--

型號	AU-C06
規格	- 符合 EPS 規格 & A; PC 級
標準	CE EN1078 符合歐盟標準
厚度	13mm
顏色	白色, 黑色 可選
尺寸 / 重量	S : 45-50cm; M : 50-55cm; L : 54-58
重量	225g
包裝	7 個
MOQ	300PCS
包裝方式	PP 箱 + 泡沫箱 包裝 + mastercarton

□□	□□□	□□	□□	■
□□	□□□	□□	□□	■

1. ח. חתה חחה חחח 225א.
2. , ם ם ן ח חח : חח חח
3. חח ח חח חח PC ח.
4. . ןװן ןװן EPS ןװן , ןװן , ןװן ןװן ןװן ןװן.

חח חחחח חח. PA חח. ח חח (5).

6. חתחת חתח חתח חתח.

7. 圖 1 : CE-EN1078 鋼絲繩吊車吊具。

□□□ □□ □□□ □□ □□ :













Packaging

12 / : 12

: 73X58X35 cm

: 6.50 kg

: 1PCS / PP WTH , PER 12 PCS





□ □□ □□ □□ □□ □□:

□□ **Headform :**

□□□ □□□ □□□ □□ □□ □□□ □□□ □□ □□ □□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□□ □□ □ □□□ □□□□ □□ □□ □□□□□□.

□□□ **headform :**

□□□ □□□ □□□ condierably □ □□□ □□□□ □□□ □□ □□□□□□ □□□ □□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Figure 1 :

Figure 1 shows the three main types of helmet shapes (Oval, Generic, Round) and their corresponding headform dimensions. The Oval shape is designed for a rider's head with a dimension which is considerably fit for Europeans. The Generic shape is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement. The Round shape is designed for a rider's head with a dimension which is considerably fit for Asians.

[illegible]

1

[illegible]

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □
 □ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □□ → □□
 □□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □□□□; assistance. Make □□□ □□ □□□ □□ & A; □□!

SHIPPING

