

# ANSI Z89.1 安全規格, PPE 安全裝備 安全 AU-M12



## SAFETY HARD HAT



High Impact  
ABS



Size Adjustment  
55-62 cm



Ventilation  
Breathable



產品名稱	AU-M12 安全頭盔
主要材料	ABS/PP 材料
規格	符合 ANSI Z89.1, 4/6 級安全規格, 符合 EN 12492 標準
重量	約 550g
調整範圍	調整範圍 6.6 cm
噪音保護	30-35dB NRR 噪音保護
面罩材料	PC 面罩 / PC 面罩 / 透明面罩
顏色	白色, 藍色, 紅色, 黃色, 綠色, 黑色, 灰色
調整範圍	55-62cm
重量	550 g (不含面罩及附件 ~ 重量 ~ 約 550g)
配件	8 個附件 ~ 包括面罩 / 附件 等
認證	ANSI Z89.1
面罩規格	3-7 級面罩
面罩材料	200 PC
面罩規格	1. PP 面罩, 透明面罩, 透明面罩, 透明面罩 等 ~ 重量 ~ 約 550g.
面罩規格	2. 透明面罩

:

- 1) LED 燈具 安裝 說明 : 請參閱 LED 說明書。
- 2) 面罩 安裝 說明 說明 說明 說明 說明 說明 : 說明 說明 說明, 說明 說明 說明。
- 3) 面罩 安裝 說明 說明 說明 說明 說明 說明 說明 : 說明 說明 說明 說明, 說明 說明 說明。



**Iron mesh faceshield**  
EN 1731



**EN 166**  
ANSI Z87.1



**Noiseproof earmuff**  
EN 352-3:2002



**New deve loped clear visor**  
EN266



**Versatile LED headlight 3A**  
EN 61547:2009



**Versatile LED headlight 1A**  
EN 55015: 2006

□□ □□□ □□□ □□:













:

□□□ □□, □ □, BTS□, □□□ □□□□, □□ □□□ □□, □□□□ □□□, □□ □□ □ □□, □□, □□□□ □□ □□, □□□ □□□ □□, □□□ □□, □□□ □□, □□□ □□, □□ □□□□, □□ □□, □□ ...




**Safety Helmet**



**Tree Care**



**Construction**



**Rock Climbing**



**Caving**



**Work-at-height**



**Sea Rescue**

〇〇〇〇 〇〇 〇〇〇 〇〇 〇〇:

〇〇〇〇 〇〇 〇〇:

〇〇〇 〇〇〇 〇〇〇〇 〇〇〇 〇 〇〇 〇〇〇〇〇 〇〇〇 〇〇 〇〇〇〇〇. 〇〇〇〇 〇〇.

〇〇 〇〇 〇〇:c

〇〇〇〇 〇〇〇 〇〇〇〇 〇〇〇 〇 〇〇〇 〇〇〇〇〇〇, 〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇 〇 〇〇〇.

〇〇〇〇〇 〇〇 〇〇:

〇〇 〇〇〇 〇〇〇〇 〇〇〇 〇 〇〇 〇〇〇〇〇 〇〇〇 〇〇〇〇〇. 〇〇〇〇〇〇 〇〇〇〇〇.



# Helmet Shape 101



## European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

## Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□ □□□ □□□:

□□□□ □□□ □□□ □□ □□□□ □□□ □□□ □□ □□□ □□□□□□! □□□ □□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□ □□ □□□ □□□ □□□□! □□□ □□□ □□□ □□ □□ □□□□ □□□□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□□ □□ □□□□. □ □!

## Our In-house Testing Lab



Our testing lab is ISO9001, CE certified and equipped with state-of-the-art testing equipment.

# CERTIFICATE



15

15. The certificate is valid for 15 years from the date of issue. The certificate is issued to Aurora sports limited for the purpose of demonstrating compliance with the requirements of the relevant standards. The certificate is issued to Aurora sports limited for the purpose of demonstrating compliance with the requirements of the relevant standards.



**CUSTOMIZE FOR BRAND**



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



PC 1000000 1000 10000.

PC 1000000 → PC 1000000 → PC 1000000 → PC 1000000 → EPS 1000000 → EPS 1000000 → PC 1000000 → PC 1000000 → PC 1000000 → PC 1000000 → IQC 1000000 → PC 1000000 → PC 1000000 → PC 1000000 → PC 1000000 → PC 1000000 → PC 1000000 → PC 1000000.





# SHIPPING

