

AAA - AAAA AAA AAA AAAA, AAAAAA AAA AAA AAA.

--- AAA AAAAAA - AAA AAA AAA AAA AAAA AAA AAA

AURORA - Your China Helmet Expert,
Alibaba highly recommended supplier!

AAA AAA

AAA OEM AAA AAA AAA AAA AAAAAA AAA AAA AAA AAA AAA. AAA AAA AAA AAA AAA, AAA AAA AAA AAA AAA AAA AAA : AAA AAA AAA AAA AAA

- 1, AAA AAA AAA.
- 2, AAA AAA AAA & A; AAA & A; AAA.
- 3, AAA AAA AAA.
- 4, AAA AAA AAA AAA AAA.
- (5), AAA AAA AAAAAA.
- 6, AAA AAA AAA AAA, AAA, PE AAA, AAA AAAAAA AAA.

Logo style: Dome, Metal, UV-Dart sticker, Water decal..



QUALITY
With strict quality management system and first-class products



OEM&ODM
We can provide OEM and ODM service for customers



R&D TEAM
With professional and strong technical development team



PRICE
We have our own production line, to reduce the price to a minimum



PATENT
We constantly introduce patented technology products



SERVICE
Perfect after-sales service, so customer satisfaction

- 00 00 000 00 :

1. 0 00 00 00 0000 0000 00 00 000 0000 000 0000, 0000 0 000 00

2. - 00 00 : 000 0 0000 00, 00 00 00 0 0,

3. Thicken PC 0, 00 0000 00 0 000.

4. 00 00 00 EPS 00, 00, 000, 0000 000 0000.

5. with 00 0000 00, PA 00, 0 00

6. Lining 00 00 00 0000 0000 0000.

- 00 00 000 00.

0	000	00 00
1. 00 00	00 00, 0 00, 000 00 00	Casnd 00, 000 00, 00 000 00, 00 000 00
2. Model 0	AU-S03	
3. Material	00 000 EPS 000 + PC 0	EPS 00 00, EPS 0 + ABS 00, 00 000 00 0
4. 00		00 pantone 00
5. Head 00	M : 56-58CM, L (58-62 CM)	00 00 00 0 000 00
7. Logo	00	00 00 00 000 0
8. MOQ	1000PCS	
9. Carton 00	65cm * 57cm 0 * 0 46cm	72cm * 57C 0 * 0 59cm
10. Packing	1PCS / PPB / 00 00	10PCS 000 CTN
11. Price 00	00 00	
12. Shipping 00	00 00 000 00	000
13. Payment 00	000	T / T, 000 000, L / C
14. Sample 00	4~7 0	000 00 00 00000 0
15. Production 00 00	20~30 0 0	00 00 000 00 0, 00 00 000 00.
16. Gender	00 00	
17. Main 00	00, 00, 000. ASTM 0 F1447-06 ASTM 0 F1952-09 ASTM 0 F1492-08 ASTM 0 F1898-08 ASTM F1163-04a ASTM 0 F2040-11 ASTMF1045-2007	
18. Our 00 00 00	CPSC 1203 BS EN1078 : 2012 BS EN1080 : 2002 + A2 : 2005 + A1 1997 BS EN1384 : 2002 + A1 1997 BS EN1077 : 2007 BS EN1385-1998 + A1 : 2005 EN ISO10256 : 2003 AS / NZS2063-2008 + A1 : 2009 2006 : NZS3838 / AS	
19. Our 00	000 000 1. 00 00 2. 00 000 0 00 000 00 3. 00 00 4. 0000 0 00 00 00 5. 00 00 00 6. 00	

- 00 00 000 00 00 :











Headform

ISO / DIS 6220 22 LIMAR, SCOTT, headform 90 %.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.



PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
<http://www.proqc.info>

Final Inspection Report		No.: GZHG1302003863CE		
RESULTS				
Based upon the results presented, the inspected lot is judged to have been:	PASS	REJECTED	PENDING	
	√			
INSPECTION CHECK POINTS				
	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√	12	
1.6	Unit packing. The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing, with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
Rating labels stuck on the unit	√			
Production date on the EPS liner	√			

“Testing Procedures”



The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

SHIPPING



0000 00

1. OEM 0000 00000?

00 0 0000 00 0000 00 00 0000 00 OEM 0000 00 00000000 00 0 00. 0000 00 0 00 00, 0000 0000 0000 00 0000 00 0 00000 000000. 00 00 0000 R & A; D 00, 00 000000 0000 000000 00, 0000 R & A, D 00 000000 0000 0 00000 00 0000 00 0 00 0000 0000 00, 000000 00 0000 00, 00 00 000000 00000 0 00000000.

2. ODM 0000 000000?

0, 00 0000 0000 000000 00, 00000000 00000 20 % 0000 00 0000 00 00000000 00. 15 ~ 20 00 00 00 00 0000 00 00000, 0000 000000 0000 00 00 00 00. 0 5 ~ 6 0000 0000 00 000000 00 00 0 00 00000000.

3. 如何查詢我的包裹狀態？

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。

4. 如何查詢我的包裹狀態？

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。我們提供 24 小時客戶服務熱線（週六、日及假期）。查詢詳情，請洽我們的客戶服務熱線。

5. 如何查詢我的包裹狀態？

請致電 360 查詢詳情：

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。我們提供 24 小時客戶服務熱線（週六、日及假期）。查詢詳情，請洽我們的客戶服務熱線。

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。我們提供 24 小時客戶服務熱線（週六、日及假期）。查詢詳情，請洽我們的客戶服務熱線。

6. 如何查詢我的包裹狀態？

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。

7. 如何查詢我的包裹狀態？

請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。我們提供 24 小時客戶服務熱線（週六、日及假期）。查詢詳情，請洽我們的客戶服務熱線。

B. 請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。

8. 如何查詢我的包裹狀態？

T / T. 請前往我們的網站，輸入您的單號，即可查詢包裹狀態。您也可以致電我們的客戶服務熱線，查詢詳情。

