

5 AU-B091



personalized

, *acpet*.

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	



浅蓝色



荧光黄



橙色















00 00

00 00	AU-B091 OEM 00 00 00
00	0 00 EPS 000 0 PC 0
00	0 0, cpsc,
000	24 00 00
0	pantone
00/00 00	m/L (54-58cm); L/XL (58-62)
00	190 00
00 00	3-7 00 0
00 000	2000pcs
00 00 00	00 00 00, 1000pcs 0 000 0 000 000 000 00000000

OEM 00 00 000 00 00 00:



□□ □□ □□

□□□ ISO/DIS 6220 □□□ □□ □□□ □□□, □□□ ligar, □□, □□□, □, □□ □ □ □□ □□□□ 22 □ □□ □□□□ □□ □ □□□□ □□ □□□ ... □ 100□ 80 □□ □□□, □ □□ 100□ 90 □ □□ □□□ headform□ □□ □ □ □ □□□ □□ □□ □□□ □ □□□.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form


A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

□□ □□□ □□□

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test





PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



常见问题(FAQ)

常见问题(FAQ)

1. 我们 OEM 产品 好吗 ?

我们 提供 OEM 产品 服务 多年, 经验丰富 且 价格 合理. 我们 提供 各种 规格, 尺寸 产品 且 可 根据 客户 需求 定制. 我们 拥有 R & D 部门, 可 提供 各种 规格 产品, 且 可 根据 客户 需求 定制. 我们 提供 各种 规格 产品, 且 可 根据 客户 需求 定制.

2. 我们 ODM 产品 好吗?

我们 提供 ODM 产品 服务 多年, 经验丰富 且 价格 合理. 我们 提供 各种 规格, 尺寸 产品 且 可 根据 客户 需求 定制. 我们 拥有 R & D 部门, 可 提供 各种 规格 产品, 且 可 根据 客户 需求 定制. 我们 提供 各种 规格 产品, 且 可 根据 客户 需求 定制.

. 0000 00 0000 0000 0 0000? 0, 00 00 00 0 0000 00 00 00 00 00 0 0 0 0000 0000 0000 00 0000 0000 00 0000 00 0000 0 0 00 00 qut0y.

4. 00 00 00 ?

00 0000 00 00 0 0000 00 00000. 0000 0 0 00 0000 0 00 0 24 00 00 00 0 (00 00 00 00). 0000 00 0000 00 0000 00 00 00.

5 00 00000 00 00 00?

0000 360 00 00 00:

- a. 0000 0000 00 0000 00 00 00 0000 00 0 00, 00000 0000 0000 0000 00 00 00 00000, 0000 0 00 0 0 0000 00 00 00 0000 0000 00 0 00 00.
- b. 00 0 00, 0000 00 00 00 0000 0 3 00 00 00 0000 0000 00000000 00 00 0000, 00 0000 00 0 00 0 00 00 00 0000, 0000 0000 0000 00 0 00.
- c. 00 0000 0000 000000 00 0000, 0000 0000 0000 00 00000.

0000 00 0000 0000, 00 00000000 00 0 0 0000 VIP 000000 00 0 00000.

6. 0000 00 0000 00 00 0000 0 0 0000?

00 00

000000, 00 0000 00 0 0 00 0 0000 00 0 0000 00 00.

7. 00 0000 0000 00 0000?

- a. 00 00, 0000 DHL, UPS, TNT, 0000 000000, EMS 00 0000 00 00. DHL 0000 000000. 0000 0 00 0000 0000 00 00 00000 0 00 00 0000. 00 00 00000 0000 0000 00 00 00000 00 00 00, 0000 00 00 00 00.
- b. 0 0 0 0000 00, 00 0000 00 000000.

00

000.0.00.00000, !0 0000 00 0000 0 0 0000 0000 OEM000 00 0000 00 0 0 0000 0000 0000. 00 0000!!!