

00 00

00 00	AU B091 OEM 00 00 00
00	0 00 EPS 000 & PC 0
00	CE, CPSC,
000	24 00 00
0	0 0
00/00 00	M/L (54-58 CM); L/XL (58-62)
00	190 00
00 00	3-7 00 0
00 00 00	2000pcs
00 00 00	00 00 00, 00 1000pcs 00 00 000 00 0 00

00:









0000, 000 00000 00 & 24 0 000 0 0 0000 000 000 00 000 00. 000 0 0000.

00 000 00 0000 000 00 00 £50 00 000 00 000 00 000 000 000 R & D 000 000 0 00 000 00000 00000 0. 00 00000 000 0 00000 0000 00 0000 00 00 00, 00 0000 00, 00 0000 00 0000, 00 00 0000, 0000 0000 00 0000 00 0000, 0000 0000 00 0000

□□□ □ □□ □□ □□ □□ □□ □ □ □□□□ □□ □□.

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

						STRAP BUCKLE
-114	-36	-107	-07	-106	-01	
-113	-104	-117	-115	-116	-00	
-112	-111	-109				

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	

Headform

Headform:

helment

headform:

headform

headform:

A helmet

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

EN1078, EN397, EN12492, CPSC

EN1078, EN397, EN12492, CPSC, 3

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

CERTIFICATE / AUTHENTICATION



이러한 인증은 제품의 품질과 안전성을 보장하며, 소비자들에게 신뢰를 줍니다. 또한, 이러한 인증은 제품의 경쟁력을 높여주며, 수출 시장에서의 성공을 위한 필수 조건입니다. SGS & AURORA는 이러한 인증을 통해 고객의 요구를 충족시키고, 최고의 품질을 제공하는 데 최선을 다하고 있습니다.



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



我們提供 3-15 個工作日（基於實際數量）的交貨時間。我們提供 R & D 服務，並提供每項產品的重要運輸狀態。我們提供每項產品的重要運輸狀態。

我們提供 3-15 個工作日（基於實際數量）的交貨時間。我們提供 R & D 服務，並提供每項產品的重要運輸狀態。我們提供每項產品的重要運輸狀態。

