

重量	320g.
材料	ABS 外壳, 内衬 PP 泡沫, PP 衬垫, 内置 USB LED 灯, 100% 透气
MOQ	300pcs.
包装	PP 盒 + 泡沫衬垫 + MasterCarton.

注意：

(a) 材料：

1. 重量 320g.
2. 电压 4.2V, 电流 3.7V.
3. 材料 ABS 外壳, PP 衬垫.
4. 12 个 LED 灯, 3 个 USB 接口 (3 个 LED).
5. 包装 PP 盒.

(b) LED 灯：

1. LED 灯 3 个, 2. LED 灯 2 个.
- NS. 1 个 LED, 2 个 LED.
- B. 1 个 LED, 2 个 LED.
3. LED 灯 3 个, 2 个 LED.

注意：产品显示





LED THREE WORK MODES

- a. First switch, LED back and forth round flash.
- b. The second press the switch, LED overall blinking.
- c. Third switch, LED full light is not flashing.



USB RECHARGER

Lithium battery with charging limit voltage of 4.2V.





HIGH QUALITY VISOR

Protecting eyes from bright sunshine and ensuring safety while cycling.



SOFT WASHABLE PADS

Ergonomic interior padding for comfort and durability.





NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



□□□ □□□□:

□□□□ □□□ 20 □ □□ □□ □□□ □□□ □□□□ □□□□. □□□ □ □□□□ □□□ □□□ R & D □□□ □□ □ □ □□□□ □□ □□□ □□ □□ □□□□ □□ □□□ □□□□□□□□. □□□ □□□ □□ □□, □□ □□□ □□□, □□ □□□ □□ □□□, □□ □□ □□□, □□□□ □□□ □□□ □□ □□□□ □□□□□□. □□, □□ □□□ □□ □□, □□□ □□ □□ □□□□ □□□□ □□ □□□□ □□ □ □ □□□□....□

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520


DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

						STRAP BUCKLE
-114	-36	-107	-07	-106	-01	
-113	-104	-117	-115	-116	-00	
-112	-111	-109				

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	



The Dial of Adjustment can be interchangeable with LED light

How to adjust the helmet dial:

Step 1:

Turn the dial clockwise to tighten the helmet. Turn counter-clockwise to loosen it.

Step 2:

Adjust the dial until the helmet feels snug and secure. Do not over-tighten.

Step 3:

Check the fit by shaking your head. The helmet should stay in place.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

How to choose a helmet shape:

Consider your head shape and the helmet's fit. A good fit is essential for safety. [amenable](#) helmet fit

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□□□ :

□□ □□□□, □□□□ □ □□ □□ □□ □ □□ □ □□□□! □□□ □□ □□□ □ □□ □□□ □□ □□ □□ □□ □□□□! □□□ □□ □□ □□ □ □□ □□□□ □□ □□□□□□□□. □□□ □□ □□□ □□□ □□ □□□ □□□□□□! □□□ □□□□ □□ □□□□ □□□ □ □□□□□!

SHIPPING

