

☐☐☐ ☐☐☐☐☐☐☐☐☐, AU-C04☐☐☐



☐☐☐ ☐☐☐☐☐☐☐☐☐:

☐☐☐☐☐	AU-C04 ☐☐☐☐☐☐☐☐☐
☐☐☐	- ☐☐☐ EPS ☐☐☐☐ & A; PC ☐☐☐
☐☐☐☐☐☐☐	☐☐☐ LED ☐☐☐☐☐☐☐
☐☐☐☐	CE EN1078
☐☐☐☐	6 ☐☐☐☐☐
☐☐☐☐	☐☐☐☐, ☐☐☐☐☐☐☐
☐☐☐ / ☐☐☐☐☐☐	S : (45-50CM), M :(52-57), L (55-61)
☐☐☐☐☐	195g

顏色	7 色
MOQ	300PCS
包裝 數量	PP 箱 + 內 箱 數量 + mastercarton

材料 規格 及 說明 :

1. 重量 205g, 內 襯 材料
2. 殼 體 PC 料, 內 襯 材料 及 說明.
3. 內 襯 材料 EPS 料, 內 襯, 內 襯, 內 襯 材料 說明.
4. 內 襯 材料, PA 料, 內 襯 4.
5. 內 襯 材料 說明 說明 說明.
6. 說明 : CE-EN1078 說明 說明 說明.

顏色 及 說明 說明 :











Packaging

12 / : 00 0 00

000 00 : 73X58X35 cm

0 00 : 6.50 kg

000 00 : 1PCS / PP 00 WTH 00 00, 00 00 PER 12 PCS





□ □□ □□ □□ □□□ □ □□ :

□□ **Headform :**

□□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□ □□ □□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□□ □□ □□□□□□.

□□□ **headform :**

□□□ □□□ □□□ condierably □ □□□ □□□□ □□□ □□ □□□□□□ □□□ □□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □ :

□□□ □□ □□□□ (□□, □□ □□□, □□ □□ □) □□ □□□ □ □□ □□□ □□□ □□, □□□ □□□□ □□ □□ □□ □□□□□.

Our In-house Testing Lab



□□:

□□□ □□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□ □□□ □□ □□□ □□□□

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □ □□□□; assistance. Make □□□ □□ □□□ □□ & A; □□!

SHIPPING

