

SHIMANO, 2017 G833



SHIMANO G833 :

SHIMANO G833 is a high-quality cycling helmet designed for performance and safety. It features a lightweight, aerodynamic shell and a comfortable interior padding. The helmet is available in various sizes and colors, including black, white, and blue. It is a great choice for cyclists looking for a reliable and stylish helmet.

SHIMANO G833 :

SHIMANO G833 is a high-quality cycling helmet designed for performance and safety. It features a lightweight, aerodynamic shell and a comfortable interior padding. The helmet is available in various sizes and colors, including black, white, and blue. It is a great choice for cyclists looking for a reliable and stylish helmet.

EPS 1000 1 - 1000 100000 1

100 1000

1000 100 1000

100

20 1000 100 1000

1000 100 1000 100:

100 100	AU-G833
100	EPS (100 100000) + PC (100 100000) 1 + 100 - 100 1 100
100	CE EN1078
100	21 1000
100	100, 1000 100
100 / 100 100	S / M (54-58CM) M / L (58-62CM)
100	270g
100 100	7 100
MOQ	300PCS
1000 100 100	PP 100 + 100 100 100 100 + mastercarton

100 100 100 100 1000 100:













## මූලික ලක්ෂණ:

මූලික ලක්ෂණ මෙහි පිහිටා ඇත :

- ITW ජාතික සම්පූර්ණ සහිත
- ජාතික සම්පූර්ණ
- ජාතික සම්පූර්ණ සහිත (ජාතික සම්පූර්ණ සහිත සහ ජාතික සම්පූර්ණ "ජාතික සම්පූර්ණ" ජාතික සම්පූර්ණ සහිත සහ ජාතික සම්පූර්ණ සහිත).
- Fidlock ජාතික magnetic සම්පූර්ණ.

මූලික ලක්ෂණ මෙහි පිහිටා ඇත :

- ජාතික සම්පූර්ණ සහිත සහ ජාතික සම්පූර්ණ සහිත.
- ජාතික සම්පූර්ණ සහිත සහ ජාතික සම්පූර්ණ සහිත.
- ජාතික සම්පූර්ණ සහිත සහ ජාතික සම්පූර්ණ සහිත.



# Buckle Options



B001



ITW standard helmet buckle



Traditional helmet buckle



B002



Patent self-developed magnetic buckle



Fidlock magnetic buckle




B003



We can also customize various colors buckle.


我们提供! 23 种 R & A 扣, D 扣, 各种扣 & A 扣 扣; 扣 扣 扣 扣 扣 & A 扣 扣 扣!  
 扣 扣 扣, Y 扣 扣, LED 扣, 扣 扣 扣, 扣 扣, 扣 扣, 扣 扣 扣! 扣 扣, 扣 扣 扣 扣 扣, 扣 扣 扣 扣 扣 扣  
 扣 扣 扣 扣 扣 扣 扣 扣 扣 扣 扣 扣 扣 扣 扣! 扣 扣 扣 - 扣 扣 扣 highlights. We 扣 扣 扣 扣 扣 扣 扣  
 扣 扣 扣 A 扣; 扣 扣 扣 & A 扣 扣 扣 扣 扣; 扣 扣 扣 扣!

# Adjustment System Options



- □□ □□ □□ □□ □□.
- EVA □□ : □□□, □ □□□ □□ □ □□□ □□ □□□□□.
- □□ : □□□ □□□ □□ □□ □□ □□□ □□ □□□ □□ □□ □ □ □□□□.
- □□ : □□ □ □□ □□□ □ □□□□ □□.
- □□ : □□ □□□□ □□□□ □□.
- □□ □□ : □□ □□ □□, □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.
- □□ □□ : □□ □□□□ □□□□ □□□□ □□ □ □□.


# Inner Padding Fabric Options



EVA pads



Mesh pads



Nylon pads



Velvet pads



Cool max pads



Low quality pads

15 % Airlite. . . . .

# Helmet Strap Options



Nylon strap



PP strap



Tetoron strap



Polyester strap



PU strap



Available colored/patterned strap

□□□ □□□ □□ □□ □□:

□□ **Headform :**

□□□ □□□ □□□ □□ □□ □□□□ □□□□ □□ □□ □□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□ □ □ □□□ □□□□ □□ □□ □□□□□□.

□□□ **headform :**

□□□ □□□ □□□ considerably □ □□□ □□□□ □□ □□ □□□□□□ □□□ □□ □□.

# Helmet Shape 101



## European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

## Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

## 如何 如何 :

如何 如何 如何, 如何 如何 如何 如何 如何, 如何 如何 如何 如何! 如何 如何 如何 如何 如何 如何 如何 如何 如何 如何 & A 如何; 如何 如何! 如何 如何 如何 如何 如何 如何 如何 如何 如何 如何 如何 如何 如何 如何 如何, 如何 如何 如何 如何 如何 如何!

Our In-house Testing Lab



Our Certifications : ISO9001, CE, RoHS, REACH, EN1070, EN1077, EN1078, EN1079, EN1080, EN1081, EN1082, EN1083, EN1084, EN1085, EN1086, EN1087, EN1088, EN1089, EN1090, EN1091, EN1092, EN1093, EN1094, EN1095, EN1096, EN1097, EN1098, EN1099, EN1100, EN1101, EN1102, EN1103, EN1104, EN1105, EN1106, EN1107, EN1108, EN1109, EN1110, EN1111, EN1112, EN1113, EN1114, EN1115, EN1116, EN1117, EN1118, EN1119, EN1120, EN1121, EN1122, EN1123, EN1124, EN1125, EN1126, EN1127, EN1128, EN1129, EN1130, EN1131, EN1132, EN1133, EN1134, EN1135, EN1136, EN1137, EN1138, EN1139, EN1140, EN1141, EN1142, EN1143, EN1144, EN1145, EN1146, EN1147, EN1148, EN1149, EN1150, EN1151, EN1152, EN1153, EN1154, EN1155, EN1156, EN1157, EN1158, EN1159, EN1160, EN1161, EN1162, EN1163, EN1164, EN1165, EN1166, EN1167, EN1168, EN1169, EN1170, EN1171, EN1172, EN1173, EN1174, EN1175, EN1176, EN1177, EN1178, EN1179, EN1180, EN1181, EN1182, EN1183, EN1184, EN1185, EN1186, EN1187, EN1188, EN1189, EN1190, EN1191, EN1192, EN1193, EN1194, EN1195, EN1196, EN1197, EN1198, EN1199, EN1200, EN1201, EN1202, EN1203, EN1204, EN1205, EN1206, EN1207, EN1208, EN1209, EN1210, EN1211, EN1212, EN1213, EN1214, EN1215, EN1216, EN1217, EN1218, EN1219, EN1220, EN1221, EN1222, EN1223, EN1224, EN1225, EN1226, EN1227, EN1228, EN1229, EN1230, EN1231, EN1232, EN1233, EN1234, EN1235, EN1236, EN1237, EN1238, EN1239, EN1240, EN1241, EN1242, EN1243, EN1244, EN1245, EN1246, EN1247, EN1248, EN1249, EN1250, EN1251, EN1252, EN1253, EN1254, EN1255, EN1256, EN1257, EN1258, EN1259, EN1260, EN1261, EN1262, EN1263, EN1264, EN1265, EN1266, EN1267, EN1268, EN1269, EN1270, EN1271, EN1272, EN1273, EN1274, EN1275, EN1276, EN1277, EN1278, EN1279, EN1280, EN1281, EN1282, EN1283, EN1284, EN1285, EN1286, EN1287, EN1288, EN1289, EN1290, EN1291, EN1292, EN1293, EN1294, EN1295, EN1296, EN1297, EN1298, EN1299, EN1300, EN1301, EN1302, EN1303, EN1304, EN1305, EN1306, EN1307, EN1308, EN1309, EN1310, EN1311, EN1312, EN1313, EN1314, EN1315, EN1316, EN1317, EN1318, EN1319, EN1320, EN1321, EN1322, EN1323, EN1324, EN1325, EN1326, EN1327, EN1328, EN1329, EN1330, EN1331, EN1332, EN1333, EN1334, EN1335, EN1336, EN1337, EN1338, EN1339, EN1340, EN1341, EN1342, EN1343, EN1344, EN1345, EN1346, EN1347, EN1348, EN1349, EN1350, EN1351, EN1352, EN1353, EN1354, EN1355, EN1356, EN1357, EN1358, EN1359, EN1360, EN1361, EN1362, EN1363, EN1364, EN1365, EN1366, EN1367, EN1368, EN1369, EN1370, EN1371, EN1372, EN1373, EN1374, EN1375, EN1376, EN1377, EN1378, EN1379, EN1380, EN1381, EN1382, EN1383, EN1384, EN1385, EN1386, EN1387, EN1388, EN1389, EN1390, EN1391, EN1392, EN1393, EN1394, EN1395, EN1396, EN1397, EN1398, EN1399, EN1400, EN1401, EN1402, EN1403, EN1404, EN1405, EN1406, EN1407, EN1408, EN1409, EN1410, EN1411, EN1412, EN1413, EN1414, EN1415, EN1416, EN1417, EN1418, EN1419, EN1420, EN1421, EN1422, EN1423, EN1424, EN1425, EN1426, EN1427, EN1428, EN1429, EN1430, EN1431, EN1432, EN1433, EN1434, EN1435, EN1436, EN1437, EN1438, EN1439, EN1440, EN1441, EN1442, EN1443, EN1444, EN1445, EN1446, EN1447, EN1448, EN1449, EN1450, EN1451, EN1452, EN1453, EN1454, EN1455, EN1456, EN1457, EN1458, EN1459, EN1460, EN1461, EN1462, EN1463, EN1464, EN1465, EN1466, EN1467, EN1468, EN1469, EN1470, EN1471, EN1472, EN1473, EN1474, EN1475, EN1476, EN1477, EN1478, EN1479, EN1480, EN1481, EN1482, EN1483, EN1484, EN1485, EN1486, EN1487, EN1488, EN1489, EN1490, EN1491, EN1492, EN1493, EN1494, EN1495, EN1496, EN1497, EN1498, EN1499, EN1500, EN1501, EN1502, EN1503, EN1504, EN1505, EN1506, EN1507, EN1508, EN1509, EN1510, EN1511, EN1512, EN1513, EN1514, EN1515, EN1516, EN1517, EN1518, EN1519, EN1520, EN1521, EN1522, EN1523, EN1524, EN1525, EN1526, EN1527, EN1528, EN1529, EN1530, EN1531, EN1532, EN1533, EN1534, EN1535, EN1536, EN1537, EN1538, EN1539, EN1540, EN1541, EN1542, EN1543, EN1544, EN1545, EN1546, EN1547, EN1548, EN1549, EN1550, EN1551, EN1552, EN1553, EN1554, EN1555, EN1556, EN1557, EN1558, EN1559, EN1560, EN1561, EN1562, EN1563, EN1564, EN1565, EN1566, EN1567, EN1568, EN1569, EN1570, EN1571, EN1572, EN1573, EN1574, EN1575, EN1576, EN1577, EN1578, EN1579, EN1580, EN1581, EN1582, EN1583, EN1584, EN1585, EN1586, EN1587, EN1588, EN1589, EN1590, EN1591, EN1592, EN1593, EN1594, EN1595, EN1596, EN1597, EN1598, EN1599, EN1600, EN1601, EN1602, EN1603, EN1604, EN1605, EN1606, EN1607, EN1608, EN1609, EN1610, EN1611, EN1612, EN1613, EN1614, EN1615, EN1616, EN1617, EN1618, EN1619, EN1620, EN1621, EN1622, EN1623, EN1624, EN1625, EN1626, EN1627, EN1628, EN1629, EN1630, EN1631, EN1632, EN1633, EN1634, EN1635, EN1636, EN1637, EN1638, EN1639, EN1640, EN1641, EN1642, EN1643, EN1644, EN1645, EN1646, EN1647, EN1648, EN1649, EN1650, EN1651, EN1652, EN1653, EN1654, EN1655, EN1656, EN1657, EN1658, EN1659, EN1660, EN1661, EN1662, EN1663, EN1664, EN1665, EN1666, EN1667, EN1668, EN1669, EN1670, EN1671, EN1672, EN1673, EN1674, EN1675, EN1676, EN1677, EN1678, EN1679, EN1680, EN1681, EN1682, EN1683, EN1684, EN1685, EN1686, EN1687, EN1688, EN1689, EN1690, EN1691, EN1692, EN1693, EN1694, EN1695, EN1696, EN1697, EN1698, EN1699, EN1700, EN1701, EN1702, EN1703, EN1704, EN1705, EN1706, EN1707, EN1708, EN1709, EN1710, EN1711, EN1712, EN1713, EN1714, EN1715, EN1716, EN1717, EN1718, EN1719, EN1720, EN1721, EN1722, EN1723, EN1724, EN1725, EN1726, EN1727, EN1728, EN1729, EN1730, EN1731, EN1732, EN1733, EN1734, EN1735, EN1736, EN1737, EN1738, EN1739, EN1740, EN1741, EN1742, EN1743, EN1744, EN1745, EN1746, EN1747, EN1748, EN1749, EN1750, EN1751, EN1752, EN1753, EN1754, EN1755, EN1756, EN1757, EN1758, EN1759, EN1760, EN1761, EN1762, EN1763, EN1764, EN1765, EN1766, EN1767, EN1768, EN1769, EN1770, EN1771, EN1772, EN1773, EN1774, EN1775, EN1776, EN1777, EN1778, EN1779, EN1780, EN1781, EN1782, EN1783, EN1784, EN1785, EN1786, EN1787, EN1788, EN1789, EN1790, EN1791, EN1792, EN1793, EN1794, EN1795, EN1796, EN1797, EN1798, EN1799, EN1800, EN1801, EN1802, EN1803, EN1804, EN1805, EN1806, EN1807, EN1808, EN1809, EN1810, EN1811, EN1812, EN1813, EN1814, EN1815, EN1816, EN1817, EN1818, EN1819, EN1820, EN1821, EN1822, EN1823, EN1824, EN1825, EN1826, EN1827, EN1828, EN1829, EN1830, EN1831, EN1832, EN1833, EN1834, EN1835, EN1836, EN1837, EN1838, EN1839, EN1840, EN1841, EN1842, EN1843, EN1844, EN1845, EN1846, EN1847, EN1848, EN1849, EN1850, EN1851, EN1852, EN1853, EN1854, EN1855, EN1856, EN1857, EN1858, EN1859, EN1860, EN1861, EN1862, EN1863, EN1864, EN1865, EN1866, EN1867, EN1868, EN1869, EN1870, EN1871, EN1872, EN1873, EN1874, EN1875, EN1876, EN1877, EN1878, EN1879, EN1880, EN1881, EN1882, EN1883, EN1884, EN1885, EN1886, EN1887, EN1888, EN1889, EN1890, EN1891, EN1892, EN1893, EN1894, EN1895, EN1896, EN1897, EN1898, EN1899, EN1900, EN1901, EN1902, EN1903, EN1904, EN1905, EN1906, EN1907, EN1908, EN1909, EN1910, EN1911, EN1912, EN1913, EN1914, EN1915, EN1916, EN1917, EN1918, EN1919, EN1920, EN1921, EN1922, EN1923, EN1924, EN1925, EN1926, EN1927, EN1928, EN1929, EN1930, EN1931, EN1932, EN1933, EN1934, EN1935, EN1936, EN1937, EN1938, EN1939, EN1940, EN1941, EN1942, EN1943, EN1944, EN1945, EN1946, EN1947, EN1948, EN1949, EN1950, EN1951, EN1952, EN1953, EN1954, EN1955, EN1956, EN1957, EN1958, EN1959, EN1960, EN1961, EN1962, EN1963, EN1964, EN1965, EN1966, EN1967, EN1968, EN1969, EN1970, EN1971, EN1972, EN1973, EN1974, EN1975, EN1976, EN1977, EN1978, EN1979, EN1980, EN1981, EN1982, EN1983, EN1984, EN1985, EN1986, EN1987, EN1988, EN1989, EN1990, EN1991, EN1992, EN1993, EN1994, EN1995, EN1996, EN1997, EN1998, EN1999, EN2000.





## QUALITY

With strict quality management system and first-class products



## OEM&ODM

We can provide OEM and ODM service for customers



## R&D TEAM

With professional and strong technical development team



## PRICE

We have our own production line, to reduce the price to a minimum



## PATENT

We constantly introduce patented technology products



## SERVICE

Perfect after-sales service, so customer satisfaction

## ✦ ✦ ✦ :

公司，提供 & A; 我们拥有严格的质量管理体系和优质的产品！我们拥有专业且强大的研发团队；我们拥有自己的生产线，可将价格降至最低；我们不断引入专利技术产品！我们提供完美的售后服务，以确保客户满意度！



### PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



### SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

