

Most Cost Effective in-mold MTB helmet -- 8.50USD.

Lightest



AU-B517

Other colors:

01



02



03



CE Certificated
Size: S/M;M/L;L/XL
Weight: 256g



Factory Facilities



1

1) Foam material-import from US, Austria...



2

2) Steam boiler—3 sets, one is 6 ton, the other is 10 ton



3

3) Automatic molding machine—80 sets



4

4) Screen printing machine from Germany



5

5) Test Lab-We work intensively with the third party test lab-SGS



材料規格說明：

- 所有材料，均須符合歐盟 REACH 指令之要求。
- 3 個月內提供：所有材料之樣品，以便進行測試，並提供相關證明文件。
- 所有材料，均須符合歐盟 CE 指令之要求。
- 所有材料：均須符合歐盟 CE 指令之要求。
- 所有材料-包裝材料均須符合 PC 指令。
- 所有材料均須符合 EPS 指令之要求。
- 所有材料：均須符合歐盟 CE 指令之要求；所有材料均須符合 CE 指令之要求；
- 所有材料：CE EN1078 指令之要求。

包裝規格說明：

材料	AU BD03 材料規格說明
材料	EPS 材料 & PC 材料規格說明
材料	CE EN1078
材料	24 材料規格說明
材料	Pantone, 材料規格說明
材料/材料	M/I: 54-60 cm
材料	230 g
材料	7 材料
MOQ	300pcs
材料材料	PP 材料 + 材料材料材料 + mastercarton

包裝規格說明：













Packaging

12 pcs/box

Box size: 73 X 58 X 35 cm

Weight: 6.50 kg

Contents: 1PCS/PP box with 12 pcs, 12 PC

Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg

Package Type: 1PCS/PP bag with color box, 12 PCS PER BROWN CARTON



□□ □□ □□ □□ □□:

Headform:

Headform is used to test the helmet's ability to absorb impact.

headform:

Headform is used to test the helmet's ability to absorb impact.

headform:

Headform is used to test the helmet's ability to absorb impact.



Our In-house Testing Lab:

Our In-house Testing Lab is equipped with the latest testing equipment to ensure the highest quality of our helmets. We test our helmets according to the following standards: EN1078, EN397, EN12492, CPSC, and others. We also test our helmets for impact resistance, penetration resistance, and other safety features. Our lab is ISO 9001 certified and we have a team of experienced technicians to ensure accurate and reliable testing results.

Our In-house Testing Lab



Our:

Our products are certified to ISO9001, CE, and other international standards. We also have a team of experienced technicians to ensure accurate and reliable testing results.

CERTIFICATE / AUTHENTICATION



□□ □□ □□□ □□:

□□ □□ → PC □□ □□ → PC □□ □□ → □□□ □□□ □□ → □□ □□ □□□ EPS □□ → EPS □ □□ □□ → □□ □ □□ □□□ → □□ □□ → □ □
 □ □□ → □□ □□ □□ → □□ □ □□ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □ □ → □□□
 □ □□□□.



□ □□□ □□?

---□□□ □□□ □□ □□ □□ □□

□□: □□□ □□ □□ □□ □ □□ □□□□

OEM & ODM: □□□ □□□ □ □ OEM □ ODM □□□□ □□□ □ □□□□

R & D □: □□□□ □ □□□ □□ □□ □□ □□

□□: □□□ □□ □□□ □□□ □□ □□ □□ □□ □□

□□: □□□□□ □□ □□ □□ □□

□□□: □□ □ □□ □ □□□, □□□ □□ □□□

With strict quality management system and first-class products

We can provide OEM and ODM service for customers

With professional and strong technical development team

We have our own
production line, to reduce
the price to a minimum

We constantly
introduce patented
technology products

Perfect after-sales service, so customer satisfaction

00 00000, 00 00 0 00 000 00 00 0 0 00 0 00! 000 000 000 00 000 000 000 0 0000 & 000 000 00 00 000 0 0 000
 0! 000 00 00 00 000 000 0000 000 00, 000 00 000 000 00 00 000 00 000! 00 00 00 00 00 000 00 00 00 00 0
 0!

11

