

CCS CUSTOM COLOR SYSTEM



CCS CUSTOM COLOR SYSTEM



□□□□ □□ □□□□ □□ □□ :

[illegible]

ABS

○○ ○○○○○ blingy ○○ ○○ ○○ ○○○ ○○○ ○○

□ □ □ □, □ □ □ □, □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □

□□□ □□ □□□□ □□ □□□ □□

Fastex ☐ ☐

□ □, □ □ □ □, □ □ □ □ □ □ □ □

ASTM □ CE EN □□ □□.

請 參 閱 圖 紙：

型 號.	AU-H001
材 質	ABS 料 + 透氣 網 布 面,
透氣 網 布	透氣 網 布, PU 面
標 準	CE EN1384, VG1 及 ASTM
尺 寸 / 頭 圍 尺 寸	尺 寸: 52, 53, 54, 55, 56, 57, 58, 59, 60, 61;
重 量	輕 便, 透氣 網 布 透氣 網 布 面
顏 色	PANTONE
尺 寸 尺 寸	3-7 尺 寸 尺 寸
MOQ	520PCS
尺 寸 尺 寸	尺 寸 尺 寸: ~ 尺 寸 尺 寸 尺 寸 ~ 尺 寸 尺 寸
尺 寸 尺 寸	尺 寸 尺 寸: 9 PCS / 尺 寸 尺 寸 尺 寸: * 32 * 53.5 67.5 CM

請 參 閱 圖 紙 尺 寸 尺 寸 **AU-H07**：





OPTIMUM COMFORT 00 000 00 00<00 000 = "MSO-spacerun : '0'; 00 - 00 : 00; MSO - ASCII - 00 - 00 : 00; MSO-HANSI - 00 - 00 : 00; MSO - 000 - 00 - 00 : '00'; 00 00 : 10.5000pt; MSO - 00 00 : 1.0000pt"; ">

<00 000 = "MSO-spacerun : '0'; 00 - 00 : 00; MSO - ASCII - 00 - 00 : 00; MSO-HANSI - 00 - 00 : 00; MSO - 000 - 00 - 00 : '00'; 00 00 : 10.5000pt; MSO - 00 00 : 1.0000pt"; ">000000 00 0000 3 000 000 00 0 0000 0000 0000 000 000 00, 0000 0000 000 000 000 0 000 000 0 0 0000.



UNRIVALLED ADJUSTMENT FOR OPTIMUM COMFORT

Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.



<MSO spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO :
MSO - MSO - MSO : ' '; MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">MSO PONY
TAIL

<MSO spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO :
MSO - MSO - MSO : ' '; MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">MSO PONY
TAIL, MSO PONY TAIL, MSO PONY TAIL, MSO PONY TAIL, MSO PONY TAIL, MSO PONY
TAIL<MSO spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO :
' '; MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">

<MSO spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO :
MSO - MSO - MSO : ' '; MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">MSO PONY
TAIL. MSO PONY TAIL, MSO PONY TAIL, MSO PONY TAIL, MSO PONY
TAIL<MSO spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO :
MSO - MSO - MSO : ' '; MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">




Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

<□ □□ = "MSO-spacerun : '□'; □□ - □□ : □□; MSO - ASCII - □□ - □□ : □□; MSO-HANSI - □□ - □□ : □□;
MSO - □□□ - □□ - □□ : '□□'; □□ □□ : 10.5000pt; MSO - □□ □□ : 1.0000pt"; ">□□□ □□ □□□ □□ □□□ □□ □
□ □□, □□ □ □□ □□□ □□□ □□ □□. □□ □□□ □ □ □□□ □□□□□ □□.



Comfortable & Durable Inner Padding
Thickness: 6mm, 8mm, 12mm





Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.



<[] [] = "MSO-spacerun : '[]'; [] - [] : []; MSO - ASCII - [] - [] : []; MSO-HANSI - [] - [] :
[]; MSO - [] - [] - [] : '[]'; [] [] : 10.5000pt; MSO - [] [] : 1.0000pt"; ">[] **MASS**[] []

<[MSO-spacerun : '[]'; [] - [] : []; MSO - ASCII - [] - [] : []; MSO-HANSI - [] - [] : []; MSO - [] - [] - [] : '[]'; [] [] : 10.5000pt; MSO - [] [] : 1.0000pt]; ">[] [] [] [] [] [] [] [] [] [] [] [].<[MSO-spacerun : '[]'; [] - [] : []; MSO - ASCII - [] - [] : []; MSO-HANSI - [] - [] : []; MSO - [] - [] - [] : '[]'; [] [] : 10.5000pt; MSO - [] [] : 1.0000pt]; ">



ADVANCED MASS VENTILATION SYSTEM

Aerodynamic ventilation channels provide high standards of cooling airflow, taking away the hot air of the inner fabrics to improve the rider's physiological comfort.



UTILITYSUNI <MSO-spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO : ' '; MSO - MSO - MSO : ' '; MSO - MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">

<MSO-spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO : ' '; MSO - MSO - MSO : ' '; MSO - MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">MSO-spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO : ' '; MSO - MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">




UTILITY SUN PROTECTION

Novelty designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.

INDIVIDUALFITHEAD FORM<MSO-spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO - MSO - MSO : ' '; MSO - MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">

<MSO-spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO : ' '; MSO - MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">MSO-spacerun : ' '; MSO - ASCII - MSO - HANSI - MSO - MSO : ' '; MSO - MSO : 10.5000pt; MSO - MSO : 1.0000pt; ">



INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.

Packagaing

PC / PP

67 * 31.5 52.5 CM

4.80 kg

1PC / PP WTH 9 DC

headform :

headform :

headform :

headform :

headform :

headform :

condierably, headform



headform :

EN1078, EN397, EN12492, EN1384, VG1 CPSC, headform



11

品質 管理 系統規格 : ISO9001, 品質 及 環境 管理 系統 認證 符合 標準 要求, 品質 管理 系統, CE 認證 合格, 品質 管理 系統 認證

CERTIFICATE / AUTHENTICATION



□□ □□□ □□□ □□ □□□□□□ :

□□ □□□ → PC □□ □□ → PC □□□ □□ → □□□ □□ □□□ → □□ □□□□ □□ □□ □□ □□ → □□ □□□ EPS → □□□□ □□□ □□ → □□ □□□
→ □□ □ → □□□ □□ □□ → □□□ □□□ □□ → IQC □□ → □□, □□□□ → □□□ □□ □□ →