

□□ □□ □□ □□, □□ □□ □□, □□ □□ □□ □□ □□ □□ □□ □□



□□ □□ □□ □□ □□:

1. □□ □□ □□, 205 g□ □□ □□ □□
2. 3 □□ □□ □□:□ □□□ □□ □□ □□ □□ □□ □□, □□ □□, □□□ □□ □ □□,
3. □□□ □□ □□
4. □□□ PVC □□
5. □□ EPS □□□ □□□ □□

6. 3-6

Material:

- Material: PVC
- Material: EPS
- Size: M 52-57 CM;
- Weight: 205 g
- Color: Pantone
- Material: Headring, PP, PVC, Mastercarton

Material:

Material	AU c 02
Material	-EPS & PVC
Material	CE EN1078
Material	6
Material	Pantone
Material	M 52-57 CM
Material	205 g
Material	7
MOQ	300pcs
Material	PP + PVC + Mastercarton

Material:











☐☐ Packagaing

☐☐ ☐☐: 12 ☐ ☐☐/☐☐

☐☐☐ ☐☐: 73 X 58 X 35 cm

☐☐☐: 6.50 kg

☐☐☐☐ ☐☐: 1PCS/PP wth ☐☐☐, ☐☐☐☐☐☐ ☐ 12 PC





□□ □□□ □□ □□ □□ □□ □□:

□□ **headform:**

□□□ □□□ □□□ □□ □□ □□□ □□ □ □□ □□.

□□ **headform:**

□□ □□ □□□ □□ □ □-□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ condierably □□□ □□□ □□□ □ □ □□ □□□ □□

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □:

□□ □ □□□ □□ (□□, □□ □□□, □□ □□ □) □□□ □□ □□□□□ □□□ □□ □ □□, □□□ □□ □ □ □□ □□ □□ □□□□ □□ □□□.

Our In-house Testing Lab



□□:

□□□ □□□ □□□: ISO9001, □□, □□, □□□□□ □□ □□□ □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.




□□□ □□:

□□□ □□ □□□ □□:

□□ □□ → PC □□ □□ → PC□ □□□ □□ → □□□□ □□□ □□ → □□ □□ □□ EPS□ □ □□ → □□-□□ EPS → □ □□ □□ □□□ → □□□ □□
 □ → -□□ □□ → □□□ □□ □□ → □□ □□ □ □□ □□ → IQC □□ → □□□ □ □ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □
 □ → □ □ → □□ □□□□□.

Production Procedure



□ □□:

□ □□ □□□ □□□□.

-□□: □□□ □□ □□ □□□ □ □□ □□□□

-OEM & ODM: □□□ □□□ □ □□ OEM □ ODM □□□□ □□□ □ □□□□

-R & D □: □□□ □□ □ □ □□ □□ □□□

-□□: □□□ □□ □□□ □□□ □□ □□ □□□ □□ □□

-□□: □□□□□ □□ □□ □□ □□

-□□□: □□ □ □□ □ □□□, □□□□ □□ □□□



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

□□ □□:

□□ □□ □□ □□ □□ □□ □ □□□: DHL, UPS, □□□ □□□□□, TNT, EMS □□ □□□ □ □□ □□ □□ □ □□□.

SHIPPING

