

PC + EPS inmold AU-C06

Product Display



Five color ways



Product Details:

Model	AU-C06
Material	EPS & PC
Standard	CE EN1078
Ventilation	13 vents
Color	Pantone, 5 colors
Size	S: 45-50 cm; M: 50-55 cm; L: 54-58
Weight	225 g
Adjustment	7 points
MOQ	300pcs
Packaging	PP box + mastercarton

Product Features:

- Weight: 225g
- Material: PC + EPS
- Standard: CE EN1078
- Adjustment: 7 points

5. ׁׁ, ׁׁ ׁׁ ׁׁ ׁׁ ׁׁ. ׁׁ ׁׁ ׁׁ ׁׁ.

6. ׁׁ ׁׁ ׁׁ ׁׁ ׁׁ ׁׁ.

7. ׁׁ: CE EN1078 ׁׁ ׁׁ ׁׁ ׁׁ.

ׁׁ ׁׁ ׁׁ ׁׁ ׁׁ ׁׁ:













Packaging

Quantity: 12 pieces

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Contents: 1PCS/PP box with 12 pieces, 12 PC





□□ □□ □□ □□ □□ □□:

□□ **Headform:**

□□□ □□□ □□□ □□ □□ □□□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ A □□ condierably □□□□ □□□ □ □ □□ □□□□□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □:

□□ □□□ □□ (□□, □□ □□□, □□ □□ □....) □□□ □□ □□□□□ □□□ □□□ □□□ □□, □□□ □□ □ □□ □□ □□ □□ □□ □□□.

Our In-house Testing Lab



□□:

□□□ □□□ □□□: □□□ ISO9001, □□ □□, CE □□, □□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□ □□□ □□□ □□□

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□:

□□ □□ □□ □□:

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ EPS □□ → EPS □ □ □ □ → □□ □ □ □□ → □□ □□ → □ □ □ □ → □□ □□ □□ → □□ □ □ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □ □ → □□□□ □□□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□:

□□□ □□ □□□ □□ □□. □□□ □ □□ □□ □□□ □ □□□□. □□ □□ □□ □□□ □□, □□ □□ □□ □□□ □ □□ □□□□ □□ □□□ □□ □□□. □□□ □□ □□ □□ □ □□ □□□ □□ □□ □□□ □□ □ □□□ □□□ □ □□□□. □□□ □□ □□ □□□ □□□ □□ □ □□!

SHIPPING

