

□□□□□□□□□□ AU-BD02

Light-weight in-mold quality bicycle helmet -- only **7.5 USD**



ULTRA LIGHT



<http://www.aurorasport.com/>

Display From Different Perspectives















□ □□ □□ □□ □□ □□ □□:

□□ **Headform :**

□□□ □□□ □□□ □□ □□ □□□□ □□□ □□ □□ □□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□ □□ □□□□□□.

□□□ **headform :**

□□□ □□□ □□□ condierably □ □□□ □□□□ □□□ □□ □□□□□□ □□□ □□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□ □ □ □ □ :

[illegible]



品質 保証事項 : 品質 ISO9001, 安全 規格, CE 規格 取得, 品質 保証 期間 1 年 間 保証 期間 保証 期間 保証 期間 保証 期間

1



በሕግ የተገለጸው የጥሬ ስፔክትሩም 15 በ ሕግ የተገለጸው የጥሬ ስፔክትሩም. በሕግ የተገለጸው R & A, በሕግ የተገለጸው D ስፔክትሩም, በሕግ የተገለጸው የጥሬ ስፔክትሩም በሕግ የተገለጸው የጥሬ ስፔክትሩም በሕግ የተገለጸው የጥሬ ስፔክትሩም በሕግ የተገለጸው የጥሬ ስፔክትሩም.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□ □□, □□□□ & A; □□ □□ □ □□□ □□ □ □□□! □□□□ □□□□ □□□□ & A □□□□ □□ □□ □□□□ □ □□□□; □□□□ □□ □□ □□□□ □□ □ □□□! □□□□ □□ □□ □□ □□ & A □□□□ □□□□ □□; □□ □□□□, □□□□ □□ □□□□ □□□□ □□ □□□□ □□□□ □□□□! □□□□ □□, □□ □□ □□□□ □□ □□ □□□□!

SHIPPING

