

□□ □□ □□ □□, □□ □□ □□ □□ **AU C04**



□□□ □□ □□□ □□:

□□ □□	AU C04
□□	□ □□ EPS □□□ & PC □
□□ □□	□□□ LED □
□□	CE EN1078
□□□	6 □□ □□□
□	Pantone, □□□ □□
□□/□□ □□	S:(45-50CM), M: (52-57), L:(55-61)
□□	195 g

数量	7
MOQ	300pcs
材料	PP + EPS + mastercarton

产品规格:

1. 重量: 205 g, 颜色: 红色
2. PC 外壳, EPS 内衬
3. EPS 内衬, 透气孔, 透气孔, 透气孔
4. 透气孔, 透气孔, 透气孔
5. 透气孔, 透气孔
6. 认证: CE EN1078

包装规格:











Packaging

Quantity: 12 pieces/pack

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Contents: 1PCS/PP box with 12 pieces, 12 PC





□□ □□ □□ □□ □□ □□:

□□ **Headform:**

□□□ □□□ □□□ □□ □□ □□□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ A □□ condierably □□□□ □□□ □ □ □□ □□□□□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □:

□□ □□□ □□ (□□, □□ □□□, □□ □□ □....) □□□ □□ □□□□□ □□□ □□□ □□□ □□, □□□ □□ □ □□ □□ □□ □□ □□ □□□.

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□:

□□ □□ □□ □□:

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ EPS □□ → EPS □ □ □ □ → □□ □ □ □□ → □□ □□ → □ □ □ □ → □□ □□ □□ → □□ □ □ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □ □ → □□□□ □□□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

☐☐☐☐:

☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐, ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

SHIPPING

