







- [illegible]

□□ □□□ □□□ □□□ □□ :

紙張 : PC.
印刷 : 四色印刷 EPS.
尺寸 : 54-58cm;
重量 : 200g,
顏色 : pantone.
材料 : 紙張, 印刷材料, PA 印刷材料.

印刷材料 印刷材料 印刷材料 :

紙張.	AU-C12 印刷材料
印刷	印刷 EPS 印刷 PC
印刷	CE EN1078.
印刷	17 印刷材料
印刷	Pantone, 印刷材料
尺寸 / 印刷材料	54-58cm.
重量	200g.
印刷材料	14
MOQ	500pcs.
印刷材料 印刷	PP 印刷 + 印刷材料 印刷 + MasterCarton.

印刷材料 印刷材料 印刷材料 :









☐☐ Packagaing.

☐☐ ☐☐ : 12 ☐☐ / ☐☐

☐☐☐☐ ☐☐ : 73 x 58 x 35 cm.

☐☐☐ : 6.50 kg.

☐☐☐☐ : 1pcs / pp wth ☐☐☐☐, ☐☐☐☐ ☐ 12 ☐





00 000 00 00 **3D** 00 000 00:

000 00 0 :
000 000 000 000 000 00 000 000 000 00 00000000. 0000000.

00 00 0 :
0000 00 000 0000 00 0 0000 00 0 00000 000 000 00 00000000.

000 00 0 :
00 000 000 00 0 000 00000 000 000 00 00000000. 000 000 000000.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Helmet Shape 101 :

The helmet shape is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement. The helmet shape is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



□□□ □□□□ □□□□ : □□□ ISO9001, □□, □□, □□□ □□ □□□ □□□ □□ □□□ □□□ □ □□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□ □□□□.

1

[illegible]

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□□ □□ :

3D □□ □□ □□ □□ □□ □□ □□ □□ :

□□ □□ → PC □□ □ □□ → PC □□ □ □□ → □□□□ □□ □□□□ → □□ □□ EPS □□ → □□ - □□ EPS → □□ □□ □□ → □□ □□
 → - □□ → □□ □□ □□ → □□ □□ □ □□ □□ → IQC □□ → □□□□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ →
 □□ → □□ □□□□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□ □ □:

□ □ □ □ □ □ □ □.

- □ □ : □ □ □ □ □ □ □ □ □ □

- OEM □ ODM : □ □ □ □ □ □ OEM □ ODM □ □ □ □ □ □ □ □ □ □.

- R & D □ : □ □ □ □ □ □ □ □ □ □ □

- □ □ : □.

- □ □ : □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

- □ □ □ : □ □ □ □ □ □ □ □ □ □ □ □ □ □

WHY US



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

包裝方式：

內置包裝，外置 DHL, UPS, FedEx, TNT, EMS 等快遞公司均可代為運輸。詳情請洽本公司業務部。

SHIPPING

