

□□ □□ :

□	□□	□□ □□
1. □□ □□	□□ □□ □□	Causl □□, □□ □□ □□
2. Model □	BD04	
3. Material	□□□□-□□-□□□□ PC □□ □□ □□ + EPS, □□ □□ □□□□, □□□□ □ □ □ ITW□ headkey headring □□	EPS □□ □□, EPS + PC□ inmould □□, □ □□□ □□ □□ □ □; □ □□□ □□; □□ □□ □□ EPS □□ □□, EPS□ + PC□ inmould □□, □□ □□□□ □ □ □ □□□ □□; □ □□□ □□; □□□□ □□□□ □ □ - □□ □ : http://www.aurorasport.com/bicycle-helmet/193.html#sthash.j25DBJel.dpuf
4. □□□	□□□ □□□	□□ □ □□□ □□□□ □□ □□
5. □□ 5. □□	□□ pantone □□	□□ pantone □□
6. □□	S / M (54-58cm) M / L (58-62CM)	□□ □□ □□ □ □□□ □□
7. □□	□□□□ □□, □□ □□, □ □□ □	
8. MOQ	300PCS □□ □□ 500 □ □ □□	
9. □□ □□	73 * 58 * 35CM	
10. □□	12PCS / CTN 10PCS □□□□ CTN	
11. □□ □□	□□ □□	
12. □□ □□	□□ □□ □□ □□□□□□ □□	
(13) □□ □□	□□□□ T / T, □□□□ □□□□, L / C	
(14) □□ □□	4-7	□□□□ □□ □□ □□□□□ □
(15) □□ □□ □□	20~30□	□□ □□ □□□□ □□ □, □□ □□ □□□□ □□

□□:







00 & A; 00

000 000 00 00 00 000 00 00000 000000. 000 000 00000 000 000 000 0 00000. 00000 0000
00 00 & A; 000 00, 000 00 00 00 & A0 00 000 00; 0
00 00000. 00 00 00 & A0 0000; 00 00 00 0000 00 00 00, 0000 00000 000 00 & A0 00 0 0 00000; 00.
0000 00 0000 00 00 & A; 00!

Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg

Package Type: 1PCS/PP bag with color box, 12 PCS PER BROWN CARTON



Headform

Headform:

Headform is used to test the helmet's ability to absorb and dissipate energy during an impact.

Headform :

Headform is used to test the helmet's ability to absorb and dissipate energy during an impact.

Headform :

Headform is used to test the helmet's ability to absorb and dissipate energy during an impact.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

0000

00000000 LTD 22 0 0000 00, 2012 0 00.

000 000 0000 00 0000 0000 00.

0000 00, 00000 00, 00 0000 0000 0000 00 0 00 00 0000 00 0 00000.

OEM 0 ODM 0000 0000. 0000 00 0 R & A, D 00 00 0000 00 0 00 00000 000000.

99 % 00 0 0000 00 0000 00, 00, 00, 00 0000

0000 0000 00 00000 0000 0000 00 0000 00000 00 0000 00 00000.

0000 00000 0000 00 0 0000 00 0000 00.

<http://www.helmetsupplier.com> 0000 montaion 0000 0 - 00 0000 00 : 0000 0 00000 0000 00 00 000000

Logo style: Dome, Metal, UV-Dart sticker, Water decal..



QUALITY
With strict quality management system and first-class products



OEM&ODM
We can provide OEM and ODM service for customers



R&D TEAM
With professional and strong technical development team



PRICE
We have our own production line, to reduce the price to a minimum



PATENT
We constantly introduce patented technology products



SERVICE
Perfect after-sales service, so customer satisfaction

我们拥有自己的生产工厂，可以为客户提供OEM和ODM服务。我们拥有自己的研发团队，可以为客户提供专业的技术支持。我们拥有自己的销售团队，可以为客户提供完美的售后服务。我们拥有自己的品牌，可以为客户提供高品质的产品。我们拥有自己的工厂，可以为客户提供专业的生产服务。我们拥有自己的品牌，可以为客户提供高品质的产品。我们拥有自己的工厂，可以为客户提供专业的生产服务。我们拥有自己的品牌，可以为客户提供高品质的产品。我们拥有自己的工厂，可以为客户提供专业的生产服务。