

□ □□ □□□□□ □□ □□ □□ □□ □□

□□□ □□ □□□ □□ □□ **AU-H07 :**

- □□ AU-H07□ □□□, □□□ □ □□□ □□□□ □□□□□. □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□, □□ □ □□□□ □□□□□.
- □□ □□ □□□□□ □□□ □□ ABS □.
- □□□ EPS □□□ □□□□ □□□□□.

□□□□ □□ : □ □□□ □□□□□ □□ □□□ □ □□□; □□ □□□ □□;

-Certification : CE EN1384, VG1 □ ASTM □□ □□□ □□ □□□□□□□.

□ □□ □□□ □□ □□:

□□ □□.	AU-H07.
□□	□□ □ +. □□□□ □□ □ □□,
□□□	□□□□ □□, □□, □□□ □□
□□	CE EN1384, VG1 □ ASTM.
□□ / □□ □ □□□ □□	□□: □ 52, 53, 54, 55, 56, 57, 58, 59, 60, 61;
□□	□□□, □□□ □□□ □□□□□ □□ □ □□□□ □□
□ □□	□□
□□ □□	3-7. □□□□□ □
MOQ	520pcs.
□□ □□	□□□ □□□: ~□ □□ □□ □□ □□□ ~□ □□ □□
	□□□ □□□: 9. PCS / CARTON. □□ □□ □□: * 32 * 53.5 67.5 cm.

□□ □□ □□□ □ □□ □□ **AU-H07□:**









UNRIVALLED ADJUSTMENT FOR OPTIMUM COMFORT

Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.



በጣም ጥቅም ላይ የሚውል የጥንቃቄ ስርዓት

በጣም ጥቅም ላይ የሚውል የጥንቃቄ ስርዓት በጣም ጥቅም ላይ የሚውል ሲሆን፣ በጣም ጥቅም ላይ የሚውል የጥንቃቄ ስርዓት በጣም ጥቅም ላይ የሚውል ነው።

በጣም ጥቅም ላይ የሚውል የጥንቃቄ ስርዓት በጣም ጥቅም ላይ የሚውል ነው።



FRIENDLY DESIGN FOR WOMEN PONYTAIL

Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

一 二 三 四 五

一 二 三 四 五 六 七 八 九 十 十一 十二 十三 十四 十五 十六 十七 十八 十九 二十 二十一 二十二 二十三 二十四 二十五 二十六 二十七 二十八 二十九 三十 三十一 三十二 三十三 三十四 三十五 三十六 三十七 三十八 三十九 四十 四十一 四十二 四十三 四十四 四十五 四十六 四十七 四十八 四十九 五十 五十一 五十二 五十三 五十四 五十五 五十六 五十七 五十八 五十九 六十 六十一 六十二 六十三 六十四 六十五 六十六 六十七 六十八 六十九 七十 七十一 七十二 七十三 七十四 七十五 七十六 七十七 七十八 七十九 八十 八十一 八十二 八十三 八十四 八十五 八十六 八十七 八十八 八十九 九十 九十一 九十二 九十三 九十四 九十五 九十六 九十七 九十八 九十九 一百。



ONE PIECE ANTIBACTERIAL INNER PADDING

Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.



ODM helmet

Our ODM helmet is a perfect choice for your brand. It features a central flat space for logo labeling, which will never peel off even after a long time using. This tailor-made ODM helmet is the best product to promote with own brand.





LUXURY BRANDING POSITION

Central flat space for logo labeling, it will never peel off even after a long time using. This tailor-made ODM helmet is the best product to promote with own brand.

Our ODM helmet

Our ODM helmet is a perfect choice for your brand. It features a central flat space for logo labeling, which will never peel off even after a long time using. This tailor-made ODM helmet is the best product to promote with own brand.



ADVANCED MASS VENTILATION SYSTEM

Aerodynamic ventilation channels provide high standards of cooling airflow, taking away the hot air of the inner fabrics to improve the rider's physiological comfort.



UtilitySuni Protection.

UtilitySuni Protection is a new concept in helmet design, designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.




UTILITY SUN PROTECTION

Novelty designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.

00 00 00

0 000 000 00 00 0000000 000 000 000 00 00000 000 00 00000000.



INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.

Packagaing 00

00 0 00 : 9 0 / 00

0000 00 : 00 00 : 67 ** 31.5 52.5 cm

0 00 : 4.80kg.

00 00 : 1pc / pp 00 Wth 00 00, 00 00000 9 DC

00 0000 00 00 00 00000000 0000 00 :

00 00 00 :

0000 0000 00 0000 0000 0000 00 00000000. 00000000.

00 00 00 :

00 00 0000 0000 0000 00 00 00000 00 0 0000 0000 00 0000 00 00000000.

0000 00 0 :

0000 0000 000000 0000000 0000 0000 00 00000000. 0000 00 000000.



0000 0000 0000 :

0000 00000 00 0000 0000 00 0000 00 0000 0000000000, 0000 00 0000 00 0000 00000 00 00 0000 000000! 0000 00 00 0000 000000 EN1078, EN397, EN12492, EN1384, VG1 CPSC, 0000 00 00 00 0 3 0 00 00000 00 0000 00000 0000 0000 00000000. 00 00!

Our In-house Testing Lab



□□:

□□□ □□□□□□□ : ISO9001, □□□ □□ □□, CE □□□ □□□ □□□, □□□ □□ □□□□ □□□ □□□, □□ □□□ □□□ □ □□□ □□□ □□ □□□□ □ □□□□.

CERTIFICATE / AUTHENTICATION



□□ □□ □□ □□ □□□□□.

□□ □□ → PC □□ □□ → PC □□□□ □□ → □□□□ □□□□□□ → EPS □□ □□ □□ □□ → □□ □□□□ EPS. → □□□□ □□□□ □□ → □□ □□□□
 → □□ □□ → □□□□ □□ □□ → □□□□ □□□□ □□ → IQC □□ → □□, □□□□ → □□□□ □□ □□ → □□□□ □□ □□□□ → □□ □□ → □□ □□ → □□ →
 □□ → □□□□ □□□.

