

□□ □□ □□ □□.

□□ □□	AU-M02 □□ □□ □□
□□:	PP □□□□
□□ □□ :	PU □□ □□, □□□ □□ □□□□ □□□
□□ □□ :	ABS / PP □
□□□	PE □□□□□
□□ □□	51-62cm
□□	375g (□ muffs□ □□□□ □□□□)
□□ □□ □□□	□□ □□□ 6.6 □□ □□
□□ □□□ □□ □□	□□, □□□, □□□ □□, □□□, □□ □□, □□
□□ □□:	□□
□□:	397 □□□□ □□□ □□□ □□ CPSC / CE □□ □□
□□□ □□ :	□□ □□ □□, □□ □□ □□ □□ □□ □□
□□ :	□□ □□
□□□:	□□ □□ □□□ □□ □□ □□
□:	PANTONE
OEM □ REQ □ MOQ	2000 PCS
□□ □□	□□
□□ □□ □□	□□□ □□□ □□ □□ □ □□□□□□ □
□□ □□ □□	1. PP □□, PE □□, □□ □□, □□ □□ □ □□□ □□ □□□□ □□□□□. 2. □□ □□ □□
□□ □□	T / T, □□□ □□□

□□ □□	600,000pcs / □
□□ □□	□□, □□, □□□
□□□ □□ □□ □□ :	CE EN397, CE □ EN12492
□□□ □ :	<p>□□□ □□□ 1. □□ □□</p> <p>2. □□ □□□</p> <p>□ □□ □□□ □□ 3. □□ □□</p> <p>4. □□□□ □ □□ □□ □□ □□ □□ □□</p> <p>□□ 5. □□ □□</p> <p>□□ 6. □□.</p>

□□ □□ □□□ □□ □□ □□.

Comfortable fit with various heads



VERY GOOD!!



Helmet Shape 101

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection



MICRO DIAL ADJUSTMENT


Quick release heading system,
made by Nylon material.





QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.





NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



Safety helmet with visor exclusively for construction workers/tree cutting



EN166
EN174



CE Certificated
Color: Clear
Weight: 65g

New Products



Headform

Headform :

Headform is a model of a human head used for testing helmets.

headform :

headform is a model of a human head used for testing helmets.

headform :

Headform is considerably different from the human head.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□ □ □ □□□□ □□ □□□ □□ □□□□□□□□.

18PCS / CTN

□□ □□ : 26 * 21.5 * 11.5cm

mastercarton : 80 * 45 * 44cm□

20□□ □□ □□ : 2500pcs

Packaging



18pcs/ctn
color box:26*21.5*11.5cm
mastercarton: 80*45*44CM
20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

□□□ □□ □□□ □ □□□□ □□□ □□ □□ □□□□□□. □□□□ □□ □□ □□□ □□□ □□ □□□□□□□ □ □□□ □ □□□ □□□□□.

□□□ QC / QA □□□



PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
<http://www.proqc.info>

Final Inspection Report		No.: GZHG1302003863CE		
RESULTS				
Based upon the results presented, the inspected lot is judged to have been:	PASS	REJECTED	PENDING	
	√			
INSPECTION CHECK POINTS				
	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√	12	
1.6	Unit packing. The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing, with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
	Rating labels stuck on the unit	√		
	Production date on the EPS liner	√		


□□ □□□ □

□□ □□□ □□□□ □□ □□□ □□ □□ □□□□□, □□□ □□□ □□□ □□ □□□ □□ □□ □□□□□! □□□ □□ □ □□ □□□ □□□□ EN1078, EN397, EN12492, CPSC □ □□ □□ □□□ □□ □□□□. □□□ □□ □□ □□ □□ □□□ □□□ □□, □□□ □□□ □□ & A□ □□; □□□ □□ □ □□□ □□□□□□!

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

0000 00 0000 00 000000 0000000. 0000 0000 00000 0000 0000 0000 0 00000. 00 00 0 A0 00
 0000 00; 0000 00, 0000 00 00 00 & A0 00 0000 00; 0 00 00000. 00 00 00 & A0 0000;
 00 00, 0000 00000 0000 00 & A0 00 0 0 00000; assistance.Make 0000 00 0000 00 &
 A; 00!

