



- 5 00 000 000 0000 : 00, 0000, 000
- 00 000 0000 000 000 00 000 1.5H00 0000 00 00 00 20 00000. (LED 000 00 00 00 0000).
- -00 0 00 : 00 EPS 00 0 000 PC 0.
- -□□ : CE EN1078

LED [][] [][] :

EPS + PC $\qquad \qquad \square \square \square :$ ___ EPS (__ ____) $\qquad \qquad \square \square \square :$ EPS + PC, LED [] [], [] [] 22 $\Box\Box\Box$: **|||:** M 55-58cm, L 58-61cm $\Box\Box\Box$: 250g 7 🛮 1. PP \bigcirc 0, PE \bigcirc 0, \bigcirc 0 \bigcirc 0, \bigcirc 0 \bigcirc 0 \bigcirc 0 \bigcirc 0 \bigcirc 0 \bigcirc 0 2. 00 00 00 00,00,000 CE EN 1078 LED [][] [] LED $\hfill\Box\hf$ □ □□ LED □ 20 □ LED [3 00 00 000 00 $\square\square\ \square\square\ \square\square$ DC 5V / 0.5A 700mAH 🔲 🔲 bettery □□. 1.5 □□ 00.5 00 000 000 00 20 00 290 * 215 * 150mm

□□ □□ □□ **LED** □□□ :













000 0000:

- -00 ITW 000 000 00 00
- -0000 00 00
- -00 00 00 0000 00 (0000 000, 000 0

-Fidlock [][] magetic [][.

$0000\ 000\ 000\ 000\ 00\ 000\ 00:$

- -000 0000 0000 00 00 0 000 0000.
- -000 0000 0000 00 000 00.
- -000 0000 0000 00 000 00.

00 00 : 00 0000 000 00.

 $000 \ 00 : 000000 \ 00 \ 0 \ 00 \ 0000 \ 0000 \ 00000.$

00 00 0:





European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

$\Pi\Pi\Pi\Pi\Pi$:

Our In-house Testing Lab





CERTIFICATE











